

Designing a Query Language for RDF: Marrying Open and Closed Worlds

Marcelo Arenas
Pontificia Universidad Católica de Chile
& Center for Semantic Web Research
marenas@ing.puc.cl

Martín Ugarte
Université Libre de Bruxelles
martin.ugarte@ulb.ac.be

Abstract

When querying an RDF graph, a prominent feature is the possibility of extending the answer to a query with optional information. However, the definition of this feature in SPARQL –the standard RDF query language– has raised some important issues. Most notably, the use of this feature increases the complexity of the evaluation problem, and its closed-world semantics is in conflict with the underlying open-world semantics of RDF. Many approaches for fixing such problems have been proposed, being the most prominent the introduction of the semantic notion of weakly-monotone SPARQL query. Weakly-monotone SPARQL queries have shaped the class of queries that conform to the open-world semantics of RDF. Unfortunately, finding an effective way of restricting SPARQL to the fragment of weakly-monotone queries has proven to be an elusive problem. In practice, the most widely adopted fragment for writing SPARQL queries is based on the syntactic notion of well designedness. This notion has proven to be a good approach for writing SPARQL queries, but its expressive power has yet to be fully understood.

The starting point of this paper is to understand the relation between well-designed queries and the semantic notion of weak monotonicity. It is known that every well-designed SPARQL query is weakly monotone; as our first contribution we prove that the converse does not hold, even if an extension of this notion based on the use of disjunction is considered. Given this negative result, we embark on the task of defining syntactic fragments that are weakly-monotone, and have higher expressive power than the fragment of well-designed queries. To this end, we move to a more general scenario where infinite RDF graphs are also allowed, so that interpolation techniques studied for first-order logic can be applied. With the use of these techniques, we are able to define a new operator for SPARQL that gives rise to a query language with the desired properties (over finite and infinite RDF graphs). It should be noticed that every query in this fragment is weakly monotone if we restrict to the case of finite RDF graphs. Moreover, we use this result to provide a simple characterization of the class of monotone CONSTRUCT queries, that is, the class of SPARQL queries that produce RDF graphs as output. Finally, we pinpoint the complex-

ity of the evaluation problem for the query languages identified in the paper.

1. INTRODUCTION

In the last fifteen years the Semantic Web initiative has received a lot of attention. From its initial steps, the goal of this initiative has been to build a World Wide Web with *machine-understandable* information [10]. To this end, a first step was to standardize a data model for the information in the Web. This gave rise to RDF, a graph-based data model for specifying relationships between resources in the Web [26]. By 2013 more than four million Web domains offered data stored as RDF graphs, creating what is known as Linked Open Data [35]. Jointly with the release of RDF as a recommendation of the World Wide Web Consortium (W3C), the natural problem of querying this data was raised. Several designs and proposals were presented to solve this issue [16], being the query language SPARQL the one that finally got more attention. SPARQL is an SQL-flavored query language for RDF that became a W3C recommendation in 2008 [34]. The current version of this language, SPARQL 1.1, was issued in 2013 [44].

The query language SPARQL was originally designed by looking at each desired feature in isolation, but it turned out to be a rather complicated language when all of these features were put together. In [29], the authors formalized the syntax and semantics of SPARQL, presenting the first step towards understanding the fundamental properties of this language. This work was followed by studies about the complexity of query evaluation [37, 24, 6, 31], query optimisation [23, 32, 13, 14], query federation [11], expressive power analysis [4, 33, 21], and provenance tracking [18, 19]. The theoretical study of SPARQL has impacted the Semantic Web in several ways, influencing the standard definition of SPARQL by the W3C and also the form in which users query RDF.

In spite of the advance in our understanding of SPARQL, there is still a fundamental issue in the definition of this language. The semantics of SPARQL is defined under a closed-world assumption, in fact there are SPARQL queries that cannot be answered without making the assumption that the unavailable data is false. However, the information in the Web is inherently incomplete and, therefore, making such assumption about unavailable data contradicts the underlying open-world semantics of RDF. To address this problem, the authors of [30] identify a condition that is satisfied by the SPARQL queries that are appropriate for the open-world semantics of RDF, namely *weak monotonicity*.

Weak monotonicity is an important notion for the study of the query language SPARQL. However, weak monotonicity is a semantic notion that does not provide much insight on how to write well-behaved queries. In fact, this notion is not well-suited for

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

PODS '16, June 26–July 1, 2016, San Francisco, CA, USA.

© 2016 Copyright held by the owner/author(s). Publication rights licensed to ACM. ISBN 978-1-4503-4191-2/16/06...\$15.00

DOI: <http://dx.doi.org/10.1145/2902251.2902298>

practical applications, as the problem of verifying if a query is weakly-monotone is undecidable. Hence, finding a fragment of the class of weakly-monotone SPARQL queries with a simple syntactic definition is a fundamental task. This problem has been addressed by defining fragments of SPARQL based on some syntactic restrictions. Arguably, the most adopted of these restrictions is that of *well designedness* [30, 31, 23, 32, 2, 8, 21]. It is known that every well-designed query is weakly monotone [7], but whether the opposite direction holds is an open problem. As our first contribution, we provide a negative answer to this question proving that there are (disjunction-free) weakly-monotone queries in SPARQL that are not equivalent to any well-designed query. Moreover, we show that this is the case even if we extend well-designed queries with disjunction at the top-most level.

Given these negative results, we embark on the design of an RDF query language with a simple syntactic definition and the same expressive power as the fragment of SPARQL consisting of weakly-monotone queries. To this end, we move to a more general scenario where infinite RDF graphs are also allowed, so that interpolation techniques studied for first-order logic can be applied. Interpolation techniques have proved to be useful in establishing connections between semantic and syntactic notions for first-order logic, so they are a natural choice in this investigation. The application of these techniques to SPARQL is the most challenging contribution of this paper, and its consequences provide a significant improvement in our understanding of the notion of weak monotonicity. In particular, we make use of Lyndon’s [25] and Otto’s [27] interpolation theorems to obtain a result that establish a form of equivalence between the fragment of weakly-monotone SPARQL queries and the fragment of SPARQL that does not use the operator OPTIONAL (used in this query language to obtain optional information if available). This result leads to the definition of a new and simple operator for SPARQL, the not-subsumed operator (NS), that is used to remove redundant information from the answer to a query.

With the use of the operator NS, we proceed to introduce two novel fragments of weakly-monotone queries. We prove that these fragments are more expressive than the fragments based on the notion of well designedness, and we provide precise characterizations of their expressive power. In fact, we show that they capture classes of weakly-monotone queries that are widely used in practice. This, together with the fact that the syntactic definitions of these fragments are rather simple, shows that these new query languages fulfill our original goal. In fact, we think these fragments provide an interesting new approach for querying RDF graphs.

The input of a SPARQL query is an RDF graph, while its output is a set mappings. Thus, SPARQL queries cannot be composed in the sense that the result of a query cannot be used as the input of another query. To overcome this limitation, the standard definition of SPARQL by the W3C includes an operator CONSTRUCT [34, 44, 21] that can be used to produce an RDF graph as output (instead of a set of mappings). This operator is widely used in practice, so it is a relevant question whether its use in SPARQL is appropriate for the open-world semantics of RDF.

As opposed to the previous case, in the context of the CONSTRUCT operator monotonicity is the condition satisfied by the queries that are appropriate for the open-world semantics of RDF. Hence, we focus on this notion, and use the results obtained from interpolation to identify a fragment of the class of CONSTRUCT queries that captures monotonicity. This fragment has a simple syntactic definition, and, somewhat surprisingly, it uses neither the operator NS nor the operator OPTIONAL. All these properties make this fragment a promising query language that deserves further investigation.

Finally, we present a thorough study of the complexity of the evaluation problem for the query languages introduced in this paper.

Organization of the paper. We give in Section 2 the basic terminology used in the paper. Then we introduce in Section 3 the notions of well designedness and weak monotonicity, and prove that there are weakly-monotone queries in SPARQL that are not equivalent to any well-designed query. We use interpolation techniques in Section 4 to show a form of equivalence between the fragment of weakly-monotone SPARQL queries and the fragment of SPARQL that does not use the operator OPTIONAL. Inspired by this result, we define in Section 5 the operator NS. In this section, we also introduce and study two novel fragments of weakly-monotone queries. Then we consider the CONSTRUCT operator in Section 6, where we identify a query language with a simple syntactic definition that captures the class of monotone CONSTRUCT queries. Finally, we provide some concluding remarks and directions for future research in Section 8. Due to the lack of space, we only provide sketches for some of the proofs of the results in the paper. The complete proofs can be found in the appendix.

2. PRELIMINARIES

In this section, we provide the basic terminology that will be used in the paper.

The Resource Description Framework (RDF) [26] is based upon *identifiers* representing Web resources. Assume that \mathbf{I} is an infinite set of International Resource Identifiers (IRIs). Then a triple $(s, p, o) \in \mathbf{I} \times \mathbf{I} \times \mathbf{I}$ is called an RDF triple, where s , p and o are called the subject, predicate and object of the triple, respectively. Moreover, an RDF graph is defined to be a finite set of RDF triples. It should be noticed that constant values (like numbers and strings) and existential values (resources with unknown identifiers) are also allowed in RDF, but we disallow them here as the results of the paper are not affected by their presence. For the sake of readability, we also assume that every string can be used as an IRI, which violates the specification of these identifiers [15].

Example 2.1. Assume that we want to store in RDF information about the founders and supporters of different organizations. Then we need to state every relationship as an RDF triple; for instance, if a person s founded an organization o , then we store the triple $(s, \text{founder}, o)$. The following table stores such an RDF graph:

Subject	Predicate	Object
Gottfrid_Svartholm	founder	The_Pirate_Bay
Fredrik_Neij	founder	The_Pirate_Bay
Peter_Sunde	founder	The_Pirate_Bay
founder	sub_property	supporter
The_Pirate_Bay	stands_for	sharing_rights
Carl_Lundström	supporter	The_Pirate_Bay

Notice that a resource mentioned in one triple as a property can also be mentioned in another triple as the subject or predicate. As RDF triples are relations between entities, it is also natural to represent RDF graphs as directed edge-labeled graphs, as shown in Figure 1. \square

2.1 The RDF query language SPARQL

SPARQL is essentially a pattern-matching query language for RDF graphs. To define the syntax of SPARQL, assume there is an infinite set \mathbf{V} of variables disjoint from \mathbf{I} . Elements of \mathbf{V} are distinguished by using $?$ as a prefix (e.g. $?X$, $?Y$ and $?Z$ are variables in \mathbf{V}). Then the set of SPARQL graph patterns is recursively defined as follows:




Figure 1: An RDF graph with information about founders and supporters of different organizations.

- A triple in $(\mathbf{I} \cup \mathbf{V}) \times (\mathbf{I} \cup \mathbf{V}) \times (\mathbf{I} \cup \mathbf{V})$ is a graph pattern (called a triple pattern).
- If P_1, P_2 are graph patterns, then $(P_1 \text{ UNION } P_2)$, $(P_1 \text{ AND } P_2)$, $(P_1 \text{ OPT } P_2)$ are graph patterns.
- If P is a graph pattern and V is a finite subset of \mathbf{V} , then $(\text{SELECT } V \text{ WHERE } P)$ is a graph pattern.
- If P is a graph pattern and R is a SPARQL built-in condition, then $(P \text{ FILTER } R)$ is a graph pattern.

In the previous definition, we have used the notion of SPARQL built-in condition, which is a propositional formula where atoms are equalities or inequalities over the set $(\mathbf{I} \cup \mathbf{V})$ together with some other features [34]. We restrict to the fragment of built-in conditions presented in [30], which is formally defined as follows:

- If $?X, ?Y \in \mathbf{V}$ and $c \in \mathbf{I}$, then $\text{bound}(?X)$, $?X = c$, $?X = ?Y$ are built-in-conditions.
- If R_1 and R_2 are built-in conditions, then $(\neg R_1)$, $(R_1 \vee R_2)$ and $(R_1 \wedge R_2)$ are built-in conditions.

For an operator O in the set $\{\text{UNION}, \text{AND}, \text{OPT}, \text{FILTER}, \text{SELECT}\}$, we say that a graph pattern P is O -free if O does not occur in P . To refer to a fragment of SPARQL in which only some operators are allowed, we use the first letter of these operators. For example SPARQL[AFS] represents the fragment of SPARQL where only the operators AND, FILTER and SELECT are allowed.

To define the semantics of SPARQL we need to recall some further notation. If P is a graph pattern, then $\text{var}(P)$ and $\mathbf{I}(P)$ denote the sets of all variables and IRIs mentioned in P , respectively. If R is a built-in condition, then $\text{var}(R)$ denotes the set of all variables mentioned in R . A mapping μ is a partial function $\mu : \mathbf{V} \rightarrow \mathbf{I}$. The domain of μ is the subset of \mathbf{V} where μ is defined, and is denoted by $\text{dom}(\mu)$. Given a mapping μ and a triple pattern t such that $\text{var}(t) \subseteq \text{dom}(\mu)$, we have that $\mu(t)$ is the result of replacing every variable $?X \in \text{var}(t)$ by $\mu(?X)$. A mapping μ_1 is said to be compatible with a mapping μ_2 , denoted by $\mu_1 \sim \mu_2$, if for every $?X \in \text{dom}(\mu_1) \cap \text{dom}(\mu_2)$ it is the case that $\mu_1(?X) = \mu_2(?X)$. In this case, $\mu_1 \cup \mu_2$ denotes the extension of μ_1 to the variables in $\text{dom}(\mu_2) \setminus \text{dom}(\mu_1)$ defined according to μ_2 . If two mappings μ_1 and μ_2 are not compatible, we write $\mu_1 \not\sim \mu_2$.

Let Ω_1 and Ω_2 be two sets of mappings. Then the join of, union of, difference between, and left-outer join of Ω_1 and Ω_2 are defined,

respectively, as follows [30]:

$$\begin{aligned} \Omega_1 \bowtie \Omega_2 &= \{\mu_1 \cup \mu_2 \mid \mu_1 \in \Omega_1, \mu_2 \in \Omega_2 \text{ and } \mu_1 \sim \mu_2\} \\ \Omega_1 \cup \Omega_2 &= \{\mu \mid \mu \in \Omega_1 \text{ or } \mu \in \Omega_2\} \\ \Omega_1 \setminus \Omega_2 &= \{\mu \in \Omega_1 \mid \text{for all } \mu' \in \Omega_2 : \mu \not\sim \mu'\} \\ \Omega_1 \rhd \Omega_2 &= (\Omega_1 \bowtie \Omega_2) \cup (\Omega_1 \setminus \Omega_2). \end{aligned}$$

Finally, given a mapping μ and a set $V \subseteq \mathbf{V}$, the expression $\mu|_V$ represents the mapping that results from restricting μ to $\text{dom}(\mu) \cap V$.

We have now the necessary terminology to define the semantics of SPARQL. Given a mapping μ and a built-in condition R , we say that μ satisfies R , denoted by $\mu \models R$, if one of the following conditions hold (omitting the usual rules for Boolean connectives):

- R is $\text{bound}(?X)$ and $?X \in \text{dom}(\mu)$;
- R is $?X = c$, $?X \in \text{dom}(\mu)$ and $\mu(?X) = c$;
- R is $?X = ?Y$, $?X \in \text{dom}(\mu)$, $?Y \in \text{dom}(\mu)$ and $\mu(?X) = \mu(?Y)$.

Moreover, given an RDF graph G and a SPARQL graph pattern P , the evaluation of P over G , denoted by $\llbracket P \rrbracket_G$, is recursively defined as follows:

- if P is a triple pattern, then $\llbracket P \rrbracket_G = \{\mu \mid \text{dom}(\mu) = \text{var}(t) \text{ and } \mu(t) \in G\}$;
- if P is $(P_1 \text{ AND } P_2)$, then $\llbracket P \rrbracket_G = \llbracket P_1 \rrbracket_G \bowtie \llbracket P_2 \rrbracket_G$;
- if P is $(P_1 \text{ OPT } P_2)$, then $\llbracket P \rrbracket_G = \llbracket P_1 \rrbracket_G \rhd \llbracket P_2 \rrbracket_G$;
- if P is $(P_1 \text{ UNION } P_2)$, then $\llbracket P \rrbracket_G = \llbracket P_1 \rrbracket_G \cup \llbracket P_2 \rrbracket_G$;
- if P is $(\text{SELECT } V \text{ WHERE } P')$, then $\llbracket P \rrbracket_G = \{\mu|_V \mid \mu \in \llbracket P' \rrbracket_G\}$;
- if P is $(P' \text{ FILTER } R)$, then $\llbracket P \rrbracket_G = \{\mu \mid \mu \in \llbracket P' \rrbracket_G \text{ and } \mu \models R\}$

The following example illustrates the syntax and semantics of SPARQL.

Example 2.2. Let G be the RDF graph shown in Figure 1. Assume we want to retrieve the founders and supporters of organizations that stand for sharing rights. This is achieved by a graph pattern $P = (\text{SELECT } \{?p\} \text{ WHERE } P_1)$, where P_1 is the following graph pattern:

$$(?o, \text{stands_for}, \text{sharing_rights}) \text{ AND} \\ ((?p, \text{founder}, ?o) \text{ UNION } (?p, \text{supporter}, ?o))$$

The evaluation of P over G is performed in a bottom-up fashion. We first evaluate the triple patterns, obtaining the following sets of mappings:

$$\begin{aligned} \llbracket (?o, \text{stands_for}, \text{sharing_rights}) \rrbracket_G &= \begin{array}{|c|} \hline ?o \\ \hline \text{The_Pirate_Bay} \\ \hline \end{array} \\ \llbracket (?p, \text{founder}, ?o) \rrbracket_G &= \begin{array}{|c|c|} \hline ?p & ?o \\ \hline \text{Gottfrid_Svartholm} & \text{The_Pirate_Bay} \\ \hline \text{Fredrik_Neij} & \text{The_Pirate_Bay} \\ \hline \text{Peter_Sunde} & \text{The_Pirate_Bay} \\ \hline \end{array} \\ \llbracket (?p, \text{supporter}, ?o) \rrbracket_G &= \begin{array}{|c|c|} \hline ?p & ?o \\ \hline \text{Carl_Lundström} & \text{The_Pirate_Bay} \\ \hline \end{array} \end{aligned}$$

Then from the definition of the UNION operator, we obtain that $\llbracket (?p, \text{founder}, ?o) \text{ UNION } (?p, \text{supporter}, ?o) \rrbracket_G$ is equal to:

?p	?o
Gottfrid_Svartholm	The_Pirate_Bay
Fredrik_Nejj	The_Pirate_Bay
Peter_Sunde	The_Pirate_Bay
Carl_Lundström	The_Pirate_Bay

The mappings in this table are combined with the only mapping in $\llbracket (?o, \text{stands_for, sharing_rights}) \rrbracket_G$ through the operator AND, obtaining that $\llbracket P_1 \rrbracket_G$ contains exactly the same set of mappings as in this table. Finally, the operator SELECT is used to keep only the values in the variable $?p$, thus generating the desired list of people:

?p
Gottfrid_Svartholm
Fredrik_Nejj
Peter_Sunde
Carl_Lundström

□

In the previous example, we use a tabular notation for the result of a SPARQL query. In particular, a mapping μ with $\text{dom}(\mu) = \{?X_1, \dots, ?X_n\}$ is represented as a row in a table with columns $?X_1, \dots, ?X_n$. In what follows, we also refer to such mapping μ by using the notation $[?X_1 \rightarrow \mu(?X_1), \dots, ?X_n \rightarrow \mu(?X_n)]$.

Finally, two graph patterns P_1 and P_2 are said to be equivalent, denoted by $P_1 \equiv P_2$, if for every RDF graph G , it holds that $\llbracket P_1 \rrbracket_G = \llbracket P_2 \rrbracket_G$. We use this notion of equivalence to compare fragments of SPARQL. In particular, we say that two such fragments \mathcal{F}_1 and \mathcal{F}_2 have the same expressive power if: (1) for every graph pattern $P_1 \in \mathcal{F}_1$, there exists a graph pattern $P_2 \in \mathcal{F}_2$ such that $P_1 \equiv P_2$; and (2) for every graph pattern $P_2 \in \mathcal{F}_2$, there exists a graph pattern $P_1 \in \mathcal{F}_1$ such that $P_2 \equiv P_1$. Moreover, we say \mathcal{F}_1 is strictly less expressive than \mathcal{F}_2 if: (1) for every graph pattern $P_1 \in \mathcal{F}_1$, there exists a graph pattern $P_2 \in \mathcal{F}_2$ such that $P_1 \equiv P_2$; and (2) there exists a graph pattern $P_2 \in \mathcal{F}_2$, for which there is no graph pattern $P_1 \in \mathcal{F}_1$ such that $P_2 \equiv P_1$.

3. WEAK MONOTONICITY VERSUS WELL DESIGNEDNESS

In this section, we formally introduce the notions of weak monotonicity and well designedness, and discuss their role in identifying fragments of SPARQL that are appropriate for the open-world semantics of RDF. Moreover, we show that there exist weakly monotone graph patterns that are not expressible as well-designed graph patterns, thus giving a negative answer to the question of whether these two notions are equivalent.

3.1 The notion of weak monotonicity

Intuitively, a query language is said to conform to the open-world assumption if its semantics is defined in a way such that, no assumption is made about the information that is not present when evaluating a query. This is particularly important when considering Web data, as in general we cannot make any assumption about the information that is not available. In fact, the semantics of RDF is based on an open-world assumption [26]. A notion that captures this idea for relational query languages is that of monotonicity. A query is said to be monotone if whenever it outputs an answer over a database, it outputs that same answer over all extensions of that database.

The notion of monotonicity is defined as follows for the case of SPARQL: a graph pattern P is said to be monotone if for every two RDF graphs G_1 and G_2 such that $G_1 \subseteq G_2$, it holds that $\llbracket P \rrbracket_{G_1} \subseteq \llbracket P \rrbracket_{G_2}$. On the contrary to the relational scenario, monotonicity is not the right property when trying to capture the idea




Figure 2: Two RDF graphs G_1 and G_2 such that $G_1 \subseteq G_2$.

of a query that is appropriate for the the open-world semantics of RDF. This occurs because SPARQL graph patterns allow for optional information, and hence one answer (mapping) to a query can contain *more information* than another answer to the same query. This does not occur in relational databases, where different answers to the same query have incomparable information.

Example 3.1. Consider the graph pattern

$$P = (?X, \text{was_born_in}, \text{Chile}) \text{ OPT } (?X, \text{email}, ?Y),$$

and let G_1 and G_2 be the RDF graphs shown in Figure 2. On the one hand, the answer to P over G_1 contains only the mapping $\mu_1 = [?X \rightarrow \text{juan}]$, as $(?X, \text{email}, ?Y)$ does not match any triple in G_1 . On the other hand, the evaluation of P over G_2 contains only the mapping $\mu_2 = [?X \rightarrow \text{juan}, ?Y \rightarrow \text{juan@puc.cl}]$. Thus, we have that $\llbracket P \rrbracket_{G_1} \not\subseteq \llbracket P \rrbracket_{G_2}$ as μ_1 is not present in the answer to P over G_2 , from which we conclude that P is not monotone as $G_1 \subseteq G_2$. However, in this case we can safely say that no information is lost when evaluating P over G_2 , as every piece of information in μ_1 can be retrieved from the information in μ_2 . □

In [7], the authors address the issue mentioned in the previous example by introducing a weaker notion of monotonicity that is appropriate for the semantics of SPARQL and, in particular, for the semantics of the OPT operator. To define this concept we need to introduce some terminology. Given two mappings μ_1 and μ_2 , the mapping μ_1 is said to be subsumed by μ_2 , denoted by $\mu_1 \leq \mu_2$, if $\text{dom}(\mu_1) \subseteq \text{dom}(\mu_2)$ and $\mu_1(?X) = \mu_2(?X)$ for every $?X \in \text{dom}(\mu_1)$. Moreover, μ_1 is said to be properly subsumed by μ_2 , denoted by $\mu_1 < \mu_2$, if $\mu_1 \leq \mu_2$ and $\mu_1 \neq \mu_2$. Finally, given two sets of mappings Ω_1 and Ω_2 , we have that Ω_1 is subsumed by Ω_2 , denoted by $\Omega_1 \sqsubseteq \Omega_2$, if for every mapping $\mu_1 \in \Omega_1$, there is a mapping $\mu_2 \in \Omega_2$ such that $\mu_1 \leq \mu_2$. With this notation we have the following:

DEFINITION 3.2 ([7]). *A graph pattern P is said to be weakly monotone if for every two RDF graphs G_1 and G_2 such that $G_1 \subseteq G_2$, it is the case that $\llbracket P \rrbracket_{G_1} \sqsubseteq \llbracket P \rrbracket_{G_2}$.*

Weak-monotonicity overcomes the issues with monotonicity when capturing the idea of making no assumptions about unknown information when evaluating a SPARQL query. In fact, if a graph pattern P is weakly monotone and the evaluation of P over an RDF graph G produces a mapping μ , then the evaluation of P over any extension of G produces a mapping that contains at least as much information as μ . As an example of this, notice that the graph pattern in Example 3.1 is not monotone but weakly monotone.

3.2 The notion of well designedness

The operators in SPARQL are all positive in nature; in fact, neither a difference operator nor a general form of negation were included in the first version of this language [34]. However, as opposed to the intuition behind the OPT operator, there exist SPARQL graph patterns which are not weakly monotone.

Example 3.3. Let P be the graph pattern defined by:

$$P = (?X, \text{was_born_in}, \text{Chile}) \text{ AND } ((?Y, \text{was_born_in}, \text{Chile}) \text{ OPT } (?Y, \text{email}, ?X)),$$

and assume that G_1 and G_2 are the RDF graphs depicted in Figure 2. In the evaluation of P over G_1 , we can see that $(?X, \text{was_born_in}, \text{Chile})$ and $(?Y, \text{was_born_in}, \text{Chile})$ match the RDF triple $(\text{Juan}, \text{was_born_in}, \text{Chile})$. Thus, given that the triple pattern $(?Y, \text{email}, ?X)$ does not match any triple in G_1 , we obtain that $\llbracket P \rrbracket_{G_1} = \{ \{ ?X \rightarrow \text{Juan}, ?Y \rightarrow \text{Juan} \} \}$. On the other hand, if we evaluate P over G_2 , we obtain the same results for the triple patterns $(?X, \text{was_born_in}, \text{Chile})$ and $(?Y, \text{was_born_in}, \text{Chile})$. Nevertheless, in this case the triple $(?Y, \text{email}, ?X)$ matches $(\text{Juan}, \text{email}, \text{juan@puc.cl})$, from which we conclude that:

$$\begin{aligned} \llbracket (?Y, \text{was_born_in}, \text{Chile}) \text{ OPT } (?Y, \text{email}, ?X) \rrbracket_{G_2} = \\ \{ \{ ?Y \rightarrow \text{Juan}, ?X \rightarrow \text{juan@puc.cl} \} \}. \end{aligned}$$

Hence, given that $\llbracket (?X, \text{was_born_in}, \text{Chile}) \rrbracket_{G_2} = \{ \{ ?X \rightarrow \text{Juan} \} \}$, the mappings coming from the two sides of the AND operator are not compatible. We conclude that $\llbracket P \rrbracket_{G_2} = \emptyset$ and, therefore, P is not weakly-monotone as $G_1 \subseteq G_2$ and $\llbracket P \rrbracket_{G_1} \not\subseteq \llbracket P \rrbracket_{G_2}$. \square

Arguably, the graph pattern P in the previous example is unnatural. In fact, the triple pattern $(?Y, \text{email}, ?X)$ offers optional information to $(?Y, \text{was_born_in}, \text{Chile})$, but at the same time is intended to match the results of the triple pattern $(?X, \text{was_born_in}, \text{Chile})$. To avoid such patterns the notion of well designedness was introduced in [30], with the specific goal in mind of disallowing the odd use of variables shown in the previous example.

DEFINITION 3.4 ([30]). *Let P be a graph pattern in SPARQL[AOF]. Then P is said to be well designed if it satisfies the following conditions:*

- for every sub-pattern of P of the form $(P_1 \text{ FILTER } R)$, it is the case that $\text{var}(R) \subseteq \text{var}(P_1)$; and
- for every sub-pattern of P of the form $(P_1 \text{ OPT } P_2)$ and every variable $?X \in \text{var}(P_2)$, if $?X$ occurs in P outside $(P_1 \text{ OPT } P_2)$, then $?X \in \text{var}(P_1)$.

For instance, the graph pattern P given in Example 3.3 is not well designed. To see why this is the case, consider the sub-pattern $(P_1 \text{ OPT } P_2)$ of P with $P_1 = (?Y, \text{was_born_in}, \text{Chile})$ and $P_2 = (?Y, \text{email}, ?X)$. We have that $?X \in \text{var}(P_2)$, and also that $?X$ occurs in P outside $(P_1 \text{ OPT } P_2)$ in the triple pattern $(?X, \text{was_born_in}, \text{Chile})$. However, $?X \notin \text{var}(P_1)$, thus violating the second condition in the definition of well designedness. On the other hand, the graph pattern shown in Example 3.1 is well designed.

3.3 On the relationship between weak monotonicity and well designedness

It is well known that well designed patterns are weakly monotone, and thus they are appropriate for the open-world semantics of RDF [30, 7]. However, the rather syntactic definition of well designedness does not shed light on how close is this notion to weak monotonicity. In fact, the question of whether every weakly-monotone graph pattern in SPARQL[AOF] is equivalent to a well-designed graph pattern is still open. The first contribution of this paper is to give a negative answer to this question.

THEOREM 3.5. *There exists a weakly-monotone graph pattern in SPARQL[AOF] that is not equivalent to any well-designed graph pattern in SPARQL[AOF].*

The notion of well designedness was defined in [30] without considering the UNION operator. Thus, it is natural to ask whether the

lack of disjunction is the reason behind Theorem 3.5. To show that this is not the case, consider the following extension of the notion of well designedness. A graph pattern in SPARQL[AUOF] is said to be well designed if it is of the form

$$P_1 \text{ UNION } P_2 \text{ UNION } \dots \text{ UNION } P_n,$$

where every disjunct P_i ($1 \leq i \leq n$) is a well-designed graph pattern in SPARQL[AOF]. It is important to notice that every graph pattern in this class is weakly monotone, and also that this class has been widely adopted as a good practice for writing SPARQL queries (see, e.g. [32]). However, the following result shows that this fragment of SPARQL is not expressive enough to capture weak monotonicity.

THEOREM 3.6. *There exists a weakly-monotone graph pattern in SPARQL[AUOF] that is not equivalent to any well-designed graph pattern in SPARQL[AUOF].*

The previous theorems help to improve the understanding of the expressive power of well-designed graph patterns, and also motivate the search for more expressive weakly-monotone fragments of SPARQL with simple syntactic definitions.

4. CAPTURING WEAK MONOTONICITY UNDER SUBSUMPTION EQUIVALENCE

Interpolation techniques have proved to be useful in establishing connections between semantic and syntactic notions for first-order logic (FO); an example of this is the use of Lyndon’s interpolation theorem [25] to show that the semantic notion of monotonicity for FO is characterized by the syntactic notion of being positive. Interpolation techniques have also proved to be useful in the database area, for instance to generate plans for answering queries over physical repositories [41] or with restricted access to some data sources [9]. Thus, they are an obvious choice to address the issue of defining an RDF query language that captures the fragment of weakly-monotone SPARQL queries, which is the motivation of this section.

It is important to notice that interpolations techniques are known to fail when restricted to finite models [3], so infinite database instances are considered in the investigations that use these techniques for relational databases [41, 9]. By following the same idea, we consider in this paper both finite and infinite RFD graphs, and we define an *unrestricted* RDF graph as a (possible infinite) subset of $\mathbf{I} \times \mathbf{I} \times \mathbf{I}$. It is also important to notice that in this new setting, the semantics of SPARQL is defined in the same way as for the finite case. Moreover, the notions of weak monotonicity and equivalence of graph patterns are also defined as for the finite case; but to avoid confusion we say that a graph pattern P is *unrestricted weakly monotone* if for every pair G_1, G_2 of unrestricted RDF graphs such that $G_1 \subseteq G_2$, it holds that $\llbracket P \rrbracket_{G_1} \subseteq \llbracket P \rrbracket_{G_2}$, and we use notation $P_1 \equiv^{\text{inf}} P_2$ if for every unrestricted RDF graph G , it holds that $\llbracket P_1 \rrbracket_G = \llbracket P_2 \rrbracket_G$. Finally, it should also be observed that if a graph pattern is unrestricted weakly monotone then it is also weakly monotone. Therefore, any query language obtained by using the results of this section is appropriate for the open-world semantics of RDF, as every graph pattern in it would be weakly monotone (in the sense defined in the previous section).

Before stating the main result of this section, we need to dig deeper into the notion of equivalence for SPARQL graph patterns. So far we have considered the usual definition of equivalence for graph patterns P_1 and P_2 , which imposes the condition that the

set of mappings $\llbracket P_1 \rrbracket_G$ and $\llbracket P_2 \rrbracket_G$ contain exactly the same elements for every (unrestricted) RDF graph G . But we have argued in Section 3 that if a mapping μ_1 is subsumed by a mapping μ_2 , then μ_2 contains at least as much information as μ_1 , so if $\llbracket P_1 \rrbracket_G \subseteq \llbracket P_2 \rrbracket_G$ and $\llbracket P_2 \rrbracket_G \subseteq \llbracket P_1 \rrbracket_G$ then we can claim that the set of mappings $\llbracket P_1 \rrbracket_G$ and $\llbracket P_2 \rrbracket_G$ are equally informative. Hence, it is also natural to consider a notion of equivalence of SPARQL graph patterns based on subsumption. More precisely, two graph patterns P_1 and P_2 are said to be subsumption-equivalent [2, 8], denoted by $P_1 \equiv_s P_2$ (resp., $P_1 \equiv_s^{\text{inf}} P_2$), if for every RDF graph G (resp., unrestricted RDF graph G), it holds that $\llbracket P_1 \rrbracket_G \subseteq \llbracket P_2 \rrbracket_G$ and $\llbracket P_2 \rrbracket_G \subseteq \llbracket P_1 \rrbracket_G$.

We are finally ready to present the main result of this paper. Notice that this result is stated in terms of the notion of subsumption-equivalence, which is a concept that has received a lot of attention in the last few years [23, 32, 2, 8].

THEOREM 4.1. *For every unrestricted weakly-monotone graph pattern P , there exists a graph pattern Q in SPARQL[AUFS] such that $P \equiv_s^{\text{inf}} Q$.*

As a corollary of this theorem and the fact that every graph pattern in SPARQL[AUFS] is unrestricted weakly monotone (in fact, monotone), we obtain the following result that shows that the query language SPARQL[AUFS] captures the fragment of unrestricted weakly-monotone SPARQL queries under subsumption equivalence.

COROLLARY 4.2. *A SPARQL graph pattern P is unrestricted weakly-monotone if and only if there exists a graph pattern Q in SPARQL[AUFS] such that $P \equiv_s^{\text{inf}} Q$.*

PROOF SKETCH OF THEOREM 4.1. This theorem is obtained by applying Lyndon's [25] and Otto's [27] interpolation theorems. Here we provide a sketch of the proof of this result.

Let P be a graph pattern. We first need to provide a translation from RDF and SPARQL to a setting in FO. This transformation is inspired by the translations given in [5, 33, 21], but with some modifications needed to apply interpolation techniques. Define $\mathcal{L}_{\text{RDF}}^P$ as the vocabulary that contains a ternary relation symbol T , a unary relation symbol Dom , a constant symbol c_i for each $i \in \mathbf{I}(P)$, and a constant symbol n . We say that an $\mathcal{L}_{\text{RDF}}^P$ -structure $\mathfrak{A} = \langle D, T^{\mathfrak{A}}, Dom^{\mathfrak{A}}, \{c_i^{\mathfrak{A}}\}_{i \in \mathbf{I}}, n^{\mathfrak{A}} \rangle$ corresponds to an unrestricted RDF graph G if

- D is a set of IRIs plus an additional element N ;
- $G = T^{\mathfrak{A}} \cap (Dom^{\mathfrak{A}} \times Dom^{\mathfrak{A}} \times Dom^{\mathfrak{A}})$;
- for every $i \in \mathbf{I}(G)$, it is the case that $c_i^{\mathfrak{A}} = i$; and
- $n^{\mathfrak{A}} = N$ and N occurs neither in $Dom^{\mathfrak{A}}$ nor in $T^{\mathfrak{A}}$.

For every graph pattern P and unrestricted RDF graph G , there is an infinite set of $\mathcal{L}_{\text{RDF}}^P$ -structures that correspond to G . We denote this set by \mathcal{A}_G^P . At this stage, the constant n and the unary relation Dom might seem unnecessary; their importance will become clear later.

Now we need to define a relation between mappings and tuples. To this end, assume an arbitrary order \leq over the set of variables \mathbf{V} . Let $\{?X_1, \dots, ?X_\ell\}$ be the set of variables in P ordered under \leq . Given a mapping $\mu : \text{var}(P) \rightarrow \mathbf{I}$, we define the extension of μ to $\text{var}(P)$ as the function $\mu^P : \text{var}(P) \rightarrow \mathbf{I}$ such that $\mu^P(?X) = \mu(?X)$ for every $?X \in \text{dom}(\mu)$, and $\mu^P(?X) = N$ for $?X \in \text{var}(P) \setminus \text{dom}(\mu)$. Using this function we define the tuple corresponding to μ as $t_\mu^P = (\mu^P(?X_1), \dots, \mu^P(?X_\ell))$. We extend the notion of subsumption to

tuples: given two tuples $\bar{a} = (a_1, \dots, a_\ell)$ and $\bar{b} = (b_1, \dots, b_\ell)$, we define $\bar{a} \leq \bar{b}$ as

$$\bar{a} \leq \bar{b} = \bigwedge_{i \in \{1, \dots, \ell\}} a_i = b_i \vee a_i = N.$$

With the previous FO setting, we embark on the task of defining an FO formula $\varphi_P(\bar{x})$ that is equivalent to P in the following sense: for every mapping μ , unrestricted RDF graph G and $\mathcal{L}_{\text{RDF}}^P$ -structure $\mathfrak{A} \in \mathcal{A}_G$, it is the case that $\mu \in \llbracket P \rrbracket_G$ if and only if $\mathfrak{A} \models \varphi_P(t_\mu^P)$. For the application of Otto's interpolation theorem, the formula φ_P should be quantified relative to Dom , meaning that every quantifier in φ_P is either of the form $\forall x(Dom(x) \rightarrow \psi)$ or $\exists x(Dom(x) \wedge \psi)$. This condition makes the construction of φ_P a particularly technical procedure which is performed by induction over the structure of P ; we skip the details here. A corollary of this construction is that for every weakly monotone graph pattern there is an equivalent FO formula with Dom -relativized quantification.

Now we have a formula φ_P that is related to P under a precise notion of equivalence and is quantified relative to Dom . The next step is to define a formula asserting that φ_P corresponds to an unrestricted weakly-monotone graph pattern, for which we need to move to a new vocabulary. Let $\mathcal{L}_{\text{RDF}}^{P_2}$ be defined as $\mathcal{L}_{\text{RDF}}^P \cup \{T', Dom'\}$, where T' is a ternary relation symbol and Dom' is a unary relation symbol. This vocabulary is intended to define structures *corresponding* to a pair of unrestricted RDF graphs. We say that an $\mathcal{L}_{\text{RDF}}^{P_2}$ -structure \mathfrak{A} corresponds to an unrestricted RDF graph G if the restriction of \mathfrak{A} to $\mathcal{L}_{\text{RDF}}^P$ corresponds to G .

Now consider the following $\mathcal{L}_{\text{RDF}}^{P_2}$ -formula:

$$[\varphi_P(T, Dom, \bar{x}) \wedge T \subseteq T' \wedge Dom \subseteq Dom'] \rightarrow \exists \bar{y} (\bar{x} \leq \bar{y} \wedge \varphi_P(T', Dom', \bar{y})). \quad (1)$$

Here $\varphi_P(T', Dom', \bar{y})$ represents the formula $\varphi_P(\bar{y})$ but replacing every occurrence of T by T' , and every occurrence of Dom by Dom' . Besides, the sentence $T \subseteq T'$ indicates that T is contained in T' , which is expressed in FO as $\forall u \forall v \forall w (T(u, v, w) \rightarrow T'(u, v, w))$, and likewise for the formula $Dom \subseteq Dom'$. It is not hard to prove that (1) is satisfied by every $\mathcal{L}_{\text{RDF}}^{P_2}$ -structure corresponding to an RDF graph if and only if P is unrestricted weakly-monotone. However, we will see that to apply interpolation we need a tautology, and we cannot assert that (1) is a tautology since not every $\mathcal{L}_{\text{RDF}}^{P_2}$ -structure corresponds to an unrestricted RDF graph. To overcome this problem, we define a formula Φ_{RDF} that is satisfied precisely by those $\mathcal{L}_{\text{RDF}}^{P_2}$ -structures that correspond to an unrestricted RDF graph. Now we add Φ_{RDF} to the left-hand side of the implication:

$$[\Phi_{\text{RDF}} \wedge \varphi_P(T, Dom, \bar{x}) \wedge T \subseteq T' \wedge Dom \subseteq Dom'] \rightarrow \exists \bar{y} (\bar{x} \leq \bar{y} \wedge \varphi_P(T', Dom', \bar{y})). \quad (2)$$

It is not hard to prove that if P is unrestricted weakly-monotone, then this formula is a tautology.

Now we proceed to apply interpolation. Lyndon's interpolation theorem [25] asserts that if an implication $\alpha \rightarrow \beta$ is a tautology, then there is a formula θ such that $\alpha \rightarrow \theta$ and $\theta \rightarrow \beta$ are both tautologies, and every relational symbol occurring on θ must occur in both α and β . Moreover, if a relation R only occurs positively in α or β , then R can only occur positively in θ . Otto extended this result by proving that if α and β are quantified relative to a set U , then θ is also quantified relative to U [27]. From these theorems and formula (2), we can deduce the existence of a new formula

$\theta(T', Dom', \bar{x})$ such that the following formulas are tautologies:

$$[\Phi_{\text{RDF}} \wedge \varphi_P(T, Dom, \bar{x}) \wedge T \subseteq T' \wedge Dom \subseteq Dom'] \rightarrow \theta(T', Dom', \bar{x}) \quad (3)$$

$$\theta(T', Dom', \bar{x}) \rightarrow \exists \bar{y} (\bar{x} \leq \bar{y} \wedge \varphi_P(T', Dom', \bar{y})) \quad (4)$$

Let G be an unrestricted RDF graph. By considering an $\mathcal{L}_{\text{RDF}}^{P_2}$ -structure \mathfrak{A} that corresponds to G such that $T^{\mathfrak{A}} = T'$ and $Dom^{\mathfrak{A}} = Dom'$, and by carefully inspecting (3), we can deduce that for every $\mathcal{L}_{\text{RDF}}^P$ -structure $\mathfrak{A} \in \mathcal{A}_G$, if $\mathfrak{A} \models \varphi_P(T, Dom, \bar{x})$, then $\mathfrak{A} \models \theta(T', Dom', \bar{x})$. Furthermore, from the same structure and (4) we can deduce that for every $\mathcal{L}_{\text{RDF}}^P$ -structure $\mathfrak{A} \in \mathcal{A}_G$, if $\mathfrak{A} \models \varphi_P(T, Dom, \bar{x})$, then there is a tuple \bar{y} such that $\bar{x} \leq \bar{y}$ and $\mathfrak{A} \models \varphi_P(T, Dom, \bar{y})$. We conclude that for every tuple \bar{a} and every structure \mathfrak{A} corresponding to an unrestricted RDF graph, it holds that \bar{a} is a maximal tuple such that $\mathfrak{A} \models \varphi_P(\bar{a})$ if and only if \bar{a} is a maximal tuple such that $\mathfrak{A} \models \theta(\bar{a})$ (under the order \leq).

Now we proceed to inspect the syntax of formula $\theta(T', Dom', \bar{x})$. From the construction of (2), we can see that in the left-hand side of the implication the relations T' and Dom' occur only positively. Therefore, these two relations must occur positively in $\theta(T', Dom', \bar{x})$. Moreover, every quantifier in (2) is relativized w.r.t. either Dom or Dom' , and hence $\theta(T', Dom', \bar{x})$ is quantified relative to Dom' . From these two facts we are able to prove that θ is equivalent to a UCQ with inequalities θ' . This proof requires several technical details that we have to skip due to the lack of space.

The final step is to define a translation from FO to SPARQL. The goal of this translation is to transform θ' (a UCQ with inequalities) into a SPARQL[AUFS] graph pattern Q . Although this translation might sound simple, it is not straightforward to define a graph pattern equivalent to θ' under the same notion of equivalence used for P and φ_P . Therefore, we use a weaker notion of equivalence: for every RDF graph G and every structure $\mathfrak{A} \in \mathcal{A}_G$ such that $T^{\mathfrak{A}} = G$, a mapping μ belongs to $\llbracket Q \rrbracket_G$ if and only if $\mathfrak{A} \models \theta'(t_{\mu}^Q)$. Due to the lack of space, we omit the details of the construction of the graph pattern Q satisfying the previous condition.

Summarizing the previous procedure, given a graph pattern P we constructed an FO-formula φ_P that is equivalent to P . By using interpolation techniques, we showed the existence of a new formula θ that is equivalent in terms of the obtained maximal tuples to φ_P , over structures corresponding to unrestricted RDF graphs. We defined a UCQ with inequalities θ' equivalent to θ , from which we obtained a SPARQL[AUFS] graph pattern Q that is equivalent to θ' under a weaker notion of equivalence. By inspecting every performed step, it can be shown that for every unrestricted RDF graph G , it is the case that $\llbracket P \rrbracket_G \subseteq \llbracket Q \rrbracket_G$ and $\llbracket Q \rrbracket_G \sqsubseteq \llbracket P \rrbracket_G$. This implies that $P \equiv_s^{\text{inf}} Q$, which was to be shown. \square

Recall that we introduce in Section 3 the notion of well designed graph pattern, which is a stronger condition than weak monotonicity. It is interesting to notice that Theorem 4.1 can be proved for well-designed graph patterns using techniques similar to those presented in [21]. However, it is not clear how to prove it over unrestricted weakly-monotone graph patterns without using a translation to FO and interpolation techniques.

In the rest of the paper, we will see that Theorem 4.1 turns out to be a powerful tool for characterizing and capturing semantic properties over different fragments of SPARQL. It is important to mention that Theorem 4.1 provides, for every unrestricted weakly-monotone pattern P , a subsumption-equivalent graph pattern Q that is monotone (as Q is in SPARQL[AUFS]). Hence, we will need some further operators to obtain unrestricted weakly-monotone graph patterns, which is the motivation for the next section.

5. CAPTURING WEAKLY MONOTONE FRAGMENTS OF SPARQL

The goal of this section is to introduce RDF query languages that capture important (and widely used) weakly-monotone fragments of SPARQL. Inspired by the results in the previous section, we start by defining in Section 5.1 a new operator for SPARQL. Then we use this operator in Section 5.2 to define a query language with a simple syntax and capturing the fragment of unrestricted weakly-monotone SPARQL queries where subsumed answers are not allowed. Finally, we extend this result in Section 5.3 to consider the UNION operator.

5.1 A new operator for SPARQL

The result presented in Theorem 4.1 can be reformulated in terms of the notion of *maximal* answer for a graph pattern. More precisely, given a graph pattern P and an unrestricted RDF graph G , the set of maximal answers of P over G , denoted by $\llbracket P \rrbracket_G^{\text{max}}$, is defined as the set of mappings $\mu \in \llbracket P \rrbracket_G$ for which there is no mapping $\mu' \in \llbracket P \rrbracket_G$ such that $\mu < \mu'$. Then Theorem 4.1 tell us that given an unrestricted weakly-monotone graph pattern P , there exists a graph pattern Q in SPARQL[AUFS] that preserves the maximal answer to P , that is, $\llbracket P \rrbracket_G^{\text{max}} = \llbracket Q \rrbracket_G^{\text{max}}$ for every unrestricted RDF graph G .

The idea of preserving only the maximal answers, or removing the properly subsumed answers, naturally gives rise to a “not subsumed” (NS) operator for SPARQL. More precisely, let NS-SPARQL be the extension of SPARQL with the following recursive rule for graph patterns:

- If P is a graph pattern, then $\text{NS}(P)$ is a graph pattern. Moreover, given an unrestricted RDF graph G :

$$\llbracket \text{NS}(P) \rrbracket_G = \llbracket P \rrbracket_G^{\text{max}}.$$

A graph pattern of the form $(P_1 \text{ OPT } P_2)$ is equivalent to $\text{NS}(P_1 \text{ UNION } (P_1 \text{ AND } P_2))$. Thus, the operator NS can be simply considered as an alternative way of obtaining optional information in the context of incomplete data. In fact, a similar operator for obtaining maximal answers called *minimal union relation* was already studied in the context of relational databases with incomplete information [17].

A first question about NS-SPARQL is whether it has the same expressive power as SPARQL, in the sense that for every graph pattern P in NS-SPARQL, there exists a graph pattern Q in SPARQL such that $P \equiv Q$ (the opposite direction trivially holds as NS-SPARQL is an extension of SPARQL). We have already shown that the operator OPT can be easily simulated by using the operator NS. But unlike that case, the simulation of the operator NS in SPARQL is not trivial. In fact, this is proven by providing an algorithm that takes as input a graph pattern P in NS-SPARQL, and outputs a graph pattern Q in SPARQL such that $P \equiv Q$ and the size of Q is double-exponential in the size of P .

THEOREM 5.1. *The languages SPARQL and NS-SPARQL have the same expressive power.*

Given that NS-SPARQL is an extension of SPARQL, we have that not every graph pattern in NS-SPARQL is weakly monotone. However, in the following sections we use the operator NS to identify query languages with simple syntactic definitions, with good expressive power and whose graph patterns are all weakly monotone.

5.2 Capturing weak monotonicity for subsumption-free graph patterns

As mentioned before, the fact that the answer to a SPARQL query can contain subsumed mappings has given rise to two different notions of equivalence for graph patterns. We start our search for a fragment of NS-SPARQL capturing weak monotonicity by putting us in an scenario where subsumption is no longer an issue. More precisely, a graph pattern P in SPARQL is said to be subsumption-free if for every unrestricted RDF graph G , it holds that $\llbracket P \rrbracket_G = \llbracket P \rrbracket_G^{\max}$. Notice that for every pair P_1, P_2 of subsumption-free graph patterns, it holds that $P_1 \equiv_{\text{inf}} P_2$ if and only if $P_1 \equiv_s^{\text{inf}} P_2$. Moreover, also notice that subsumption-free graph patterns are the rule, not the exception, in practice.

As a corollary of Theorem 4.1, we obtain the following:

COROLLARY 5.2. *Let P be a subsumption-free graph pattern. If P is unrestricted weakly monotone, then there exists a graph pattern Q in SPARQL[AUFS] such that $P \equiv_{\text{inf}} \text{NS}(Q)$.*

This corollary motivates the introduction of the notion of simple graph pattern.

DEFINITION 5.3. *A graph pattern is simple if it is of the form $\text{NS}(P)$, where P is in SPARQL[AUFS].*

Let SP-SPARQL be an RDF query language consisting of all simple graph patterns, that is, every query in SP-SPARQL is of the form $\text{NS}(P)$ with P in SPARQL[AUFS]. From Corollary 5.2 and the fact that every simple graph pattern is subsumption-free, we obtain the following corollary showing that SP-SPARQL is a query language appropriate for the open-world semantics of RDF, with a simple syntactic definition and with good expressive power:

THEOREM 5.4. *Over unrestricted RDF graphs, SP-SPARQL has the same expressive power as the fragment of unrestricted weakly-monotone and subsumption-free SPARQL graph patterns.*

Notice that in this theorem we compare the expressive power of two query languages over unrestricted RDF graphs; thus, we use \equiv_{inf} instead of \equiv when indicating that the query languages have the same expressive power.

We conclude this section by considering the important fragments SPARQL[AOF] and SPARQL[AFS] of SPARQL. The latter includes the class of conjunctive queries with inequalities, and it is widely used in practice. The former was extensively studied in [30], where the notion of well designedness introduced in Section 3 was originally defined.

It is easy to see that every graph pattern in SPARQL[AFS] is subsumption free. Moreover, from the results proved in [30], it is possible to conclude that every graph pattern in SPARQL[AOF] is also subsumption free. Thus, we obtain from Theorem 5.4 the following result:

COROLLARY 5.5. *Let P be a graph pattern in SPARQL[AOF] or SPARQL[AFS]. If P is unrestricted weakly-monotone, then there exists a graph pattern in SP-SPARQL such that $P \equiv_{\text{inf}} Q$.*

Moreover, for the case of (finite) RDF graphs, it is possible to establish the following connection between well designedness and simple graph patterns:

PROPOSITION 5.6. *The fragment of well-designed graph patterns in SPARQL[AOF] is strictly less expressive than SP-SPARQL.*

The existence of a graph pattern in SP-SPARQL which is not equivalent to any well-designed graph pattern in SPARQL[AOF] is not surprising, as the operator UNION is allowed in SP-SPARQL. What is interesting from the previous result is that, a well-designed graph pattern containing arbitrarily nested OPT operators can always be translated into an equivalent graph pattern with a single operator NS on the top-most level.

5.3 Including the UNION operator

In Sections 4 and 5.2, we have argued that SPARQL[AUOF] and SP-SPARQL are good query languages for the open-world semantics of RDF, in particular because of their expressive power. But these languages are incomparable, as in the former every graph pattern is monotone but not necessarily subsumption-free, while in the latter every graph pattern is subsumption-free and weakly monotone but not necessarily monotone. Thus, it is natural to ask whether there exists a query language that contains both, and where every graph pattern is still weakly monotone. This is the motivating question for this section.

We start our search by allowing the use of disjunction in simple patterns.

DEFINITION 5.7. *A graph pattern P is an ns-pattern if it is of the form $(P_1 \text{ UNION } \dots \text{ UNION } P_n)$, where each P_i ($1 \leq i \leq n$) is a simple pattern.*

Let USP-SPARQL be an RDF query language consisting of all ns-patterns. As our first result, we prove that USP-SPARQL is indeed more expressive than both SPARQL[AUFS] and SP-SPARQL.

PROPOSITION 5.8. *USP-SPARQL is strictly more expressive than both SPARQL[AUFS] and SP-SPARQL.*

From the fact that every simple pattern is unrestricted weakly monotone, it is easy to conclude that every ns-pattern is unrestricted weakly monotone. Thus, we conclude from the previous result that USP-SPARQL is an answer to our motivating question. Moreover, we obtain the following corollary from Theorem 4.1:

COROLLARY 5.9. *Let P be a graph pattern in SPARQL. Then P is unrestricted weakly-monotone if and only if there exists a graph pattern Q in USP-SPARQL such that $P \equiv_s^{\text{inf}} Q$.*

Finally, we obtain the following characterization of the expressive power of USP-SPARQL by using Theorem 5.4:

COROLLARY 5.10. *Over unrestricted RDF graphs, USP-SPARQL has the same expressive power as the fragment of unions of unrestricted weakly-monotone and subsumption-free SPARQL graph patterns.*

From the results of this section, we can conclude that USP-SPARQL is also an appropriate query language for the open-world semantics of RDF, in particular because of their expressive power and the fact that every graph pattern in USP-SPARQL is weakly monotone.

6. CAPTURING CONSTRUCT QUERIES

The input of a SPARQL graph pattern is an RDF graph, while its output is a set mappings. Thus, SPARQL graph patterns cannot be composed in the sense that the result of a query cannot be used as the input of another query. Besides, SPARQL queries cannot be used to define views that will later used by other queries, a common functionality in relational database systems. To overcome this limitation, the standard definition of SPARQL by the World Wide Web Consortium includes an operator CONSTRUCT [34] that can be used to produce as output an RDF graph instead of set of mapping. This operator is widely used in practice, so it is a relevant question whether its use in SPARQL is appropriate for the open-world semantics of RDF.

The goal of this section is to answer this question. More precisely, we provide a formal definition of the CONSTRUCT operator in Section 6.1, and then we identify in Section 6.2 a query language with a simple syntactic definition and the same expressive




Figure 3: An RDF graph containing information about professors and universities.

power at the class of monotone queries using the CONSTRUCT operator. It should be noticed that Theorem 4.1 plays a crucial role in the proof of this latter result.

6.1 The CONSTRUCT operator

We follow the terminology introduced in [21] to define the CONSTRUCT operator. Let P be a SPARQL graph pattern and H a finite set of triple patterns. Then

$$Q = (\text{CONSTRUCT } H \text{ WHERE } P)$$

is a CONSTRUCT query, where P and H are called the graph pattern and the template of Q , respectively. Moreover, given an RDF graph G , the evaluation of Q over G is defined as follows:

$$\text{ans}(Q, G) = \{\mu(t) \mid \mu \in \llbracket P \rrbracket_G, t \in H \text{ and } \text{var}(t) \subseteq \text{dom}(\mu)\}.$$

Example 6.1. Let G be the RDF graph shown in Figure 3, which stores information about professors and universities. In this scenario, we want to construct an RDF graph that contains for each professor his/her name, the universities he/she is affiliated to, and his/her email if this information is available. We achieve this with a CONSTRUCT query Q of the form $(\text{CONSTRUCT } H \text{ WHERE } P)$, where $H = \{(?n, \text{affiliated_to}, ?u), (?n, \text{email}, ?e)\}$ and P is the following graph pattern:

$$((?p, \text{name}, ?n) \text{ AND } (?p, \text{works_at}, ?u)) \text{ OPT } (?p, \text{email}, ?e)$$

Notice that in this case the template H contains IRIs that are not mentioned in G . The evaluation of the graph pattern of P over G results in the following set of mappings:

	?p	?n	?u	?e
μ_1	prof_02	Denis	PUC_Chile	
μ_2	prof_01	Cristian	U_Oxford	cris@puc.cl
μ_3	prof_01	Cristian	PUC_Chile	cris@puc.cl

In the left-hand side of this table we have included names for the mappings. Then to evaluate Q , we consider the mapping in this table separately. For the mapping μ_1 , we have that each variable in the triple pattern $(?n, \text{affiliated_to}, ?u) \in H$ is contained in the domain of μ_1 , so the triple $(\mu_1(?n), \text{affiliated_to}, \mu_1(?u)) = (\text{Denis}, \text{affiliated_to}, \text{PUC_Chile})$ is included in the output $\text{ans}(Q, G)$. On the other hand, the variable $?e$ is not in the domain of μ_1 , so no triple is produced by this mapping and the triple pattern $(?n, \text{email}, ?e) \in H$. The result of the evaluation process is the RDF graph depicted in Figure 4. Notice that the triple $(\text{Cristian}, \text{email}, \text{cris@puc.cl})$ is generated when considering the mapping μ_2 and μ_3 and the triple pattern $(?n, \text{email}, ?e) \in H$. However, as the semantics of the CONSTRUCT operator is defined as a set of triples, $(\text{Cristian}, \text{email}, \text{cris@puc.cl})$ can occur only once in the output $\text{ans}(Q, G)$. \square




Figure 4: The RDF graph obtained by evaluating the CONSTRUCT query Q in Example 6.1 over the RDF graph in Figure 3.

6.2 Capturing monotone CONSTRUCT queries

In Section 3, we concluded that the notion of monotonicity is too restrictive when trying to identify fragments of SPARQL that are appropriate for the open-world semantics of RDF. In that section, we also argue that the notion of weak monotonicity is appropriate for this goal, as to compare the answers of two graph patterns one has to consider the fact that a mapping can be more informative than another one. However, the situation is different for CONSTRUCT queries, as the answer for such a query is a set of RDF triples (an RDF graph), and an RDF triple is an atomic piece of information. In fact, one RDF triple cannot be more informative than another one. Thus, in the context of CONSTRUCT queries we consider the notion of monotonicity when trying to identify which fragment of these queries is appropriate for the open-world semantics of RDF. The notion of monotonicity is defined as follows in this context:

DEFINITION 6.2. A CONSTRUCT query Q is monotone if for every pair G_1, G_2 of RDF graphs such that $G_1 \subseteq G_2$, it holds that $\text{ans}(Q, G_1) \subseteq \text{ans}(Q, G_2)$.

Exactly as in the case of weak monotonicity for graph patterns, this definition provides no insight about how to find a syntactic characterization of monotone CONSTRUCT queries, which is aggravated by the fact the problem of verifying whether a CONSTRUCT query is monotone is undecidable.¹ Nevertheless, CONSTRUCT queries enjoy some properties that allow us to address this issue. The key observation here is that when evaluating the graph pattern of a CONSTRUCT query, it suffices to look only at the non-subsumed graph patterns. This observation can be formalized by using the operator NS introduced in Section 5:

LEMMA 6.3. For every graph pattern P and template H , the query $(\text{CONSTRUCT } H \text{ WHERE } P)$ is equivalent to the query $(\text{CONSTRUCT } H \text{ WHERE } \text{NS}(P))$.

Next we show that this lemma plays a key role in the characterization of the monotone fragment of the class of CONSTRUCT queries. As it is done in Sections 4 and 5, from now on we consider unrestricted RDF graphs, for which the semantics of the CONSTRUCT operator is defined in the same way as for the case of (finite) RDF graphs.

Lemma 6.3 has the following consequence. Assume that we have a CONSTRUCT query $Q = (\text{CONSTRUCT } H \text{ WHERE } P)$ in which P is unrestricted weakly monotone. From Theorem 4.1, we have that there exists a graph pattern P^* in SPARQL[AUFS] such

¹This is a corollary of the fact that SPARQL and first-order logic have the same expressive power [5, 38] and the fact that the problem of verifying whether a first-order logic formula is monotone is undecidable. In turn, the latter result about monotonicity for first-order logic is a corollary of the undecidability of the finite satisfiability problem for this logic [42].

that $P^* \equiv_s^{\text{inf}} P$. Thus, given that the condition $P^* \equiv_s^{\text{inf}} P$ holds if and only if the condition $\text{NS}(P^*) \equiv_s^{\text{inf}} \text{NS}(P)$ holds, we obtain the following by applying Lemma 6.3:

$$\begin{aligned} Q &= (\text{CONSTRUCT } H \text{ WHERE } P) \\ &\equiv (\text{CONSTRUCT } H \text{ WHERE } \text{NS}(P)) \\ &\equiv_s^{\text{inf}} (\text{CONSTRUCT } H \text{ WHERE } \text{NS}(P^*)) \\ &\equiv (\text{CONSTRUCT } H \text{ WHERE } P^*) \end{aligned}$$

Hence, we obtain the following corollary.

COROLLARY 6.4. *Let $Q = (\text{CONSTRUCT } H \text{ WHERE } P)$ be a CONSTRUCT query in which P is unrestricted weakly monotone. Then there exists a graph pattern P^* in SPARQL[AUFS] such that $Q \equiv_s^{\text{inf}} (\text{CONSTRUCT } H \text{ WHERE } P^*)$.*

It is easy to prove that if the graph pattern of a CONSTRUCT query is weakly monotone, then the CONSTRUCT query is monotone. However, the opposite direction is not true, as there exist CONSTRUCT queries that are monotone but whose graph patterns are not weakly monotone. This prevents the previous corollary from establishing a general characterization of monotone CONSTRUCT queries. However, we overcome this limitation with the following lemma.

LEMMA 6.5. *For every monotone CONSTRUCT query Q , there is a template H and an unrestricted weakly monotone SPARQL graph pattern P such that $Q \equiv_s^{\text{inf}} (\text{CONSTRUCT } H \text{ WHERE } P)$.*

From this lemma and Corollary 6.4, we can finally obtain a syntactic characterization of monotonicity for CONSTRUCT queries. To simplify notation, given a set of SPARQL operators O , we denote by $\text{CONSTRUCT}[O]$ the set of CONSTRUCT queries of the form $(\text{CONSTRUCT } H \text{ WHERE } P)$ such that P is a graph pattern in $\text{SPARQL}[O]$.

THEOREM 6.6. *Over unrestricted RDF graphs, the class of monotone CONSTRUCT queries has the same expressive power as CONSTRUCT[AUFS].*

Next we strengthen this result by proving that the SELECT operator can be removed from the fragment CONSTRUCT[AUFS].

PROPOSITION 6.7. *CONSTRUCT[AUF] has the same expressive power as CONSTRUCT[AUFS].*

Thus, we obtain a simpler characterization of the class of monotone CONSTRUCT queries.

COROLLARY 6.8. *Over unrestricted RDF graphs, the class of monotone CONSTRUCT queries has the same expressive power as CONSTRUCT[AUF].*

This result culminates our study of CONSTRUCT queries. We have presented a clean and simple syntactic characterization of the class of monotone CONSTRUCT queries. It is interesting to notice that the only allowed operators in this characterization are FILTER, AND and UNION. We think this provides evidence to place CONSTRUCT[AUF] as an interesting query language for RDF that should be further investigated.

7. THE COMPLEXITY OF THE EVALUATION PROBLEM

So far, we have introduced a new operator and several syntactic fragments with good properties in terms of expressive power. At this point, it is natural to ask what is the complexity of the evaluation problem for these fragments, and whether this complexity is

lower than for some well-known fragments of SPARQL. To answer this question, we study the combined complexity [43] of the evaluation problem. More precisely, we pinpoint the exact complexity of this problem for simple patterns and ns-patterns in Section 7.2, and for queries in CONSTRUCT[AUF] in Section 7.3.

7.1 A bit of background on computational complexity

We use complexity classes that might not be familiar to the reader, and hence we briefly recall their definition. In particular, we present the Boolean Hierarchy and the complexity class $P_{\parallel}^{\text{NP}}$.

The Boolean Hierarchy is an infinite family of complexity classes based on boolean combinations of languages in NP [46]. The most popular class in this hierarchy is DP, which consists of all languages that can be expressed as $L_1 \cap L_2$ with $L_1 \in \text{NP}$ and $L_2 \in \text{coNP}$. The levels of the boolean hierarchy are denoted by $\{\text{BH}_i\}_{i \in \mathbb{N}}$, and are recursively defined as follows:

- BH_1 is the complexity class NP.
- BH_{2k} consists of all languages that can be expressed as $L_1 \cap L_2$, where $L_1 \in \text{BH}_{2k-1}$ and $L_2 \in \text{coNP}$.
- BH_{2k+1} consists of all languages that can be expressed as $L_1 \cup L_2$, where $L_1 \in \text{BH}_{2k}$ and $L_2 \in \text{NP}$.

Notice that $\text{DP} = \text{BH}_2$. The complexity class $P_{\parallel}^{\text{NP}}$ [20] contains all problems that can be solved in polynomial time by a Turing machine that can query a polynomial amount of times (in terms of the input's length) an NP oracle, with the restriction that all of these queries need to be issued in parallel. The parallel access to the NP oracle prevents the queries to depend on previous oracle answers. The class $P_{\parallel}^{\text{NP}}$ is equivalent to $\Delta_2^P[\log n]$, the complexity class of all problems that can be solved in polynomial time by a Turing machine that can make $O(\log n)$ queries to an NP oracle, not necessarily in parallel [12].

7.2 The evaluation problem for simple patterns and ns-patterns

Consider a fragment \mathcal{F} of NS-SPARQL. Then the evaluation problem for \mathcal{F} is defined as follows:

Problem	: $\text{EVAL}(\mathcal{F})$
Input	: An RDF graph G , a graph pattern $P \in \mathcal{F}$ and a mapping μ
Question	: Is $\mu \in \llbracket P \rrbracket_G$?

As usual, we only consider inputs of finite length and, therefore, we do not consider in this section unrestricted RDF graphs. Our complexity results are built upon several studies of the complexity of evaluating SPARQL graph patterns [32, 30, 37, 7, 22]. In particular, the key ideas rely on the fact that the evaluation problem is NP-complete for SPARQL[AUFS] [37] and is coNP-complete for well-designed graph patterns in SPARQL[AOF] [29].

We start by considering the evaluation problem for simple graph patterns.

THEOREM 7.1. *$\text{EVAL}(\text{SP-SPARQL})$ is DP-complete.*

It is interesting to notice that the complexity of evaluating simple patterns is already higher than that of evaluating well-designed graph patterns in SPARQL[AOF], which is coNP-complete. This is to be expected as the former fragment is more expressive than the latter (see Proposition 5.6).

We continue our study by considering the evaluation problem for ns-patterns. As an ns-pattern is of the form

$(P_1 \text{ UNION } \dots \text{ UNION } P_k)$ with each P_i being a simple pattern, an important parameter for the evaluation problem in this context is the maximum number of disjunct P_i in these patterns. Let USP-SPARQL_k be the fragment of USP-SPARQL consisting of all ns-patterns having at most k disjuncts each. Then we have that:

THEOREM 7.2. *For every $k > 0$, it holds that $\text{EVAL}(\text{USP-SPARQL}_k)$ is BH_{2k} -complete.*

Finally, we obtain the following combined complexity when considering ns-patterns with an unbounded number of disjuncts.

THEOREM 7.3. *$\text{EVAL}(\text{USP-SPARQL})$ is $\text{P}_{\parallel}^{\text{NP}}$ -complete.*

It is important to mention that, although the evaluation problem for well-designed graph patterns in SPARQL[AOF] is coNP-complete, these patterns do not allow for projection. If projection is allowed only on the top-most level, then the evaluation problem for well-designed graph patterns already increases to Σ_2^p -complete [23], which is higher than the complexity of the evaluation problem for USP-SPARQL (unless the polynomial-time hierarchy [40] collapses to its second level as $\text{P}_{\parallel}^{\text{NP}} \subseteq \Delta_2^p \subseteq \Sigma_2^p$).

7.3 The evaluation problem for CONSTRUCT queries

Consider a class \mathcal{G} of CONSTRUCT queries. Then the evaluation problem for \mathcal{G} is defined as follows:

Problem	: $\text{EVAL}(\mathcal{G})$
Input	: An RDF graph G , a CONSTRUCT query $Q \in \mathcal{G}$ and a triple t
Question	: Is $t \in \text{ans}(Q, G)$?

As mentioned before, the fragment CONSTRUCT[AUF] is one of the most important fragments defined in this paper, as it captures the class of CONSTRUCT queries that are monotone. It should be noticed that establishing the combined complexity of CONSTRUCT[AUF] is straightforward, as we rely on the fact that the evaluation problem for SPARQL[AUF] is NP-complete.

THEOREM 7.4. *$\text{EVAL}(\text{CONSTRUCT[AUF]})$ is NP-complete.*

This concludes our study of the complexity of the evaluation problem for the query languages introduced in this paper. As a final remark, it is important to mention that the results of this section provide more evidence in favor of CONSTRUCT[AUF] as an appropriate query language for RDF, as this language not only captures the notion of monotonicity for CONSTRUCT queries (over unrestricted RDF graphs), but also has an evaluation problem with a lower complexity than for well-designed graph patterns with projection on top (Σ_2^p -complete), and general CONSTRUCT queries (PSPACE-complete).

8. CONCLUDING REMARKS AND FUTURE WORK

We have presented a thorough study of the relationship between different fragments of SPARQL and the notion of weak monotonicity. We showed that one of the most adopted fragments of SPARQL, namely the class of unions of well-designed graph patterns, has lower expressive power than the fragment of weakly-monotone graph patterns. We further strengthen this result by proving that it also holds if disjunction is disallowed in both fragments. Given this negative result, we moved to a new setting in which RDF

graphs can also be infinite. In this setting, we developed a framework for applying interpolation techniques for first-order logic to SPARQL, which resulted in a powerful theorem relating the fragment of weakly-monotone graph patterns with SPARQL[AUFS]. This theorem suggested the definition of the operator NS, which is a natural replacement for the operator OPTIONAL. Using the operator NS, we defined the weakly-monotone fragments of simple patterns and ns-patterns, and proved that they have higher expressive power than the fragments defined in terms of well designedness. Then we focused on the fragment of CONSTRUCT queries. We applied the results obtained from the use of interpolation techniques, from which we proved that the fragment of CONSTRUCT queries restricted to CONSTRUCT, AND, FILTER and UNION precisely characterizes the notion of monotonicity. Finally, we provided a thorough study of the combined complexity of the evaluation problem for the query languages introduced in the paper.

Our results open new research possibilities, starting by the search for useful extensions of the identified query languages. For example, allowing for projection on top of simple and ns-patterns preserves weak monotonicity, and hence this extension could lead to the definition of new weakly-monotone fragments with higher expressivity.

Finally, the focus of this paper has been mostly theoretical. Therefore, the development of more practical studies of the proposed query languages is a promising direction for future research. For instance, it is important to understand what are the practical consequences of replacing the operator OPTIONAL by the operator NS, and whether the aforementioned fragment of CONSTRUCT queries covers the needs of real-world applications. Moreover, these new lines of research are open to the development of implementations and optimizations, potentially leading to real-world applications of the techniques developed in this paper.

Acknowledgements

The authors would like to thank the anonymous referees for many helpful comments. M. Arenas was funded by the Millennium Nucleus Center for Semantic Web Research under Grant NC120004, and M. Ugarte was partially funded by the scholarship CONICYT-PCHA - 21120368, by the Millennium Nucleus Center for Semantic Web Research under Grant NC120004, and by the SPICES research project funded by Innoviris, the Brussels Institute for Research and Innovation under the Bridge strategic platform program.

9. REFERENCES

- [1] S. Abiteboul, R. Hull, and V. Vianu. *Foundations of databases*, volume 8. Addison-Wesley Reading, 1995.
- [2] S. Ahmetaj, W. Fischl, R. Pichler, M. Simkus, and S. Skritek. Towards reconciling SPARQL and certain answers. In *Proceedings of the 24th International Conference on World Wide Web, WWW 2015*, pages 23–33, 2015.
- [3] M. Ajtai and Y. Gurevich. Monotone versus positive. *J. ACM*, 34(4):1004–1015, Oct. 1987.
- [4] R. Angles and C. Gutierrez. The expressive power of SPARQL. In *ISWC*, pages 114–129, 2008.
- [5] R. Angles and C. Gutierrez. *The expressive power of SPARQL*. Springer, 2008.
- [6] M. Arenas, S. Conca, and J. Pérez. Counting beyond a yottabyte, or how SPARQL 1.1 property paths will prevent adoption of the standard. In *Proceedings of the 21st international conference on World Wide Web*, pages 629–638. ACM, 2012.

- [7] M. Arenas and J. Pérez. Querying semantic web data with sparql. In *Proceedings of the thirtieth ACM SIGMOD-SIGACT-SIGART symposium on Principles of database systems*, pages 305–316. ACM, 2011.
- [8] P. Barceló, R. Pichler, and S. Skritek. Efficient evaluation and approximation of well-designed pattern trees. In *Proceedings of the 34th ACM Symposium on Principles of Database Systems, PODS 2015*, pages 131–144, 2015.
- [9] M. Benedikt, B. ten Cate, and E. Tsamoura. Generating low-cost plans from proofs. In *Proceedings of the 33rd ACM SIGMOD-SIGACT-SIGART Symposium on Principles of Database Systems, PODS'14*, pages 200–211, 2014.
- [10] T. Berners-Lee, J. Hendler, O. Lassila, et al. The semantic web. *Scientific american*, 284(5):28–37, 2001.
- [11] C. Buil-Aranda, M. Arenas, Ó. Corcho, and A. Polleres. Federating queries in SPARQL 1.1: Syntax, semantics and evaluation. *J. Web Sem.*, 18(1):1–17, 2013.
- [12] S. R. Buss and L. Hay. On truth-table reducibility to sat. *Information and Computation*, 91(1):86 – 102, 1991.
- [13] M. W. Chekol, J. Euzenat, P. Genevès, and N. Layaida. SPARQL query containment under *SHI* axioms. In *AAAI*, 2012.
- [14] M. W. Chekol, J. Euzenat, P. Genevès, and N. Layaida. SPARQL query containment under RDFS entailment regime. In *IJCAR*, pages 134–148, 2012.
- [15] M. Durst and M. Suignard. Rfc 3987, internationalized resource identifiers (iris), 2005.
- [16] T. Furche, B. Linse, F. Bry, D. Plexousakis, and G. Gottlob. RDF querying: Language constructs and evaluation methods compared. In *Reasoning Web*, pages 1–52. Springer, 2006.
- [17] C. A. Galindo-Legaria. Outerjoins as disjunctions. *SIGMOD Rec.*, 23(2):348–358, May 1994.
- [18] F. Geerts, G. Karvounarakis, V. Christophides, and I. Fundulaki. Algebraic structures for capturing the provenance of SPARQL queries. In *ICDT*, 2013.
- [19] H. Halpin and J. Cheney. Dynamic provenance for SPARQL updates. In *ISWC*, 2014.
- [20] L. A. Hemachandra. The strong exponential hierarchy collapses. *Journal of Computer and System Sciences*, 39(3):299 – 322, 1989.
- [21] E. V. Kostylev, J. L. Reutter, and M. Ugarte. CONSTRUCT queries in SPARQL. In *18th International Conference on Database Theory, ICDT 2015, March 23-27, 2015, Brussels, Belgium*, pages 212–229, 2015.
- [22] A. Letelier, J. Pérez, R. Pichler, and S. Skritek. Static analysis and optimization of semantic web queries. In *Proceedings of the 31st Symposium on Principles of Database Systems, PODS '12*, pages 89–100. ACM, 2012.
- [23] A. Letelier, J. Pérez, R. Pichler, and S. Skritek. Static analysis and optimization of semantic web queries. *ACM TODS*, 38(4):25, 2013.
- [24] K. Losemann and W. Martens. The complexity of evaluating path expressions in SPARQL. In *Proceedings of the 31st symposium on Principles of Database Systems*, pages 101–112. ACM, 2012.
- [25] R. C. Lyndon. An interpolation theorem in the predicate calculus. *Pacific J. of Mathematics*, 9(1):129–142, 1959.
- [26] F. Manola and E. Miller. RDF Primer. W3C Recommendation, 10 February 2004. Available at <http://www.w3.org/TR/2004/REC-rdf-primer-20040210/>.
- [27] M. Otto. An interpolation theorem. *Bulletin of Symbolic Logic*, 6(4):447–462, 2000.
- [28] C. H. Papadimitriou and M. Yannakakis. The complexity of facets (and some facets of complexity). In *Proceedings of the fourteenth annual ACM symposium on Theory of computing, STOC '82*, pages 255–260. ACM, 1982.
- [29] J. Pérez, M. Arenas, and C. Gutierrez. Semantics and complexity of sparql. In *ISWC*, pages 30–43, 2006.
- [30] J. Pérez, M. Arenas, and C. Gutierrez. Semantics and complexity of SPARQL. *ACM TODS*, 34(3), 2009.
- [31] F. Picalausa and S. Vansummeren. What are real SPARQL queries like? In *SWIM*, 2011.
- [32] R. Pichler and S. Skritek. Containment and equivalence of well-designed SPARQL. In *Proceedings of the 33rd ACM SIGMOD-SIGACT-SIGART symposium on Principles of database systems*, pages 39–50. ACM, 2014.
- [33] A. Polleres and J. P. Wallner. On the relation between SPARQL 1.1 and answer set programming. *Journal of Applied Non-Classical Logics*, 23(1-2):159–212, 2013.
- [34] E. Prud'hommeaux and A. Seaborne. SPARQL query language for RDF. W3C Recommendation, 2008. Available at <http://www.w3.org/TR/rdf-sparql-query/>.
- [35] V. G. Ramanathan. Light at the end of the tunnel. 2013.
- [36] T. Riege and J. Rothe. Completeness in the boolean hierarchy: Exact-four-colorability, minimal graph uncolorability, and exact domatic number problems - a survey. 12(5):551–578, may 2006.
- [37] M. Schmidt, M. Meier, and G. Lausen. Foundations of sparql query optimization. In *Proceedings of the 13th International Conference on Database Theory, ICDT '10*, pages 4–33. ACM, 2010.
- [38] J. Sequeda, M. Arenas, and D. P. Miranker. On directly mapping relational databases to RDF and OWL. In *Proceedings of the 21st World Wide Web Conference 2012, WWW 2012*, pages 649–658, 2012.
- [39] H. Spakowski. *Completeness for parallel access to NP and counting class separations*. PhD thesis, 2005.
- [40] L. J. Stockmeyer. The polynomial-time hierarchy. *Theor. Comput. Sci.*, 3(1):1–22, 1976.
- [41] D. Toman and G. E. Weddell. *Fundamentals of Physical Design and Query Compilation*. Synthesis Lectures on Data Management. Morgan & Claypool Publishers, 2011.
- [42] B. Trakhtenbrot. The impossibility of an algorithm for the decidability problem on finite classes. *Proceedings of the USSR Academy of Sciences (in Russian)*, 70(4):569–572, 1950.
- [43] M. Y. Vardi. The complexity of relational query languages. In *Proceedings of the fourteenth annual ACM symposium on Theory of computing*, pages 137–146. ACM, 1982.
- [44] W3C SPARQL Working Group. SPARQL 1.1 Query language. W3C Recommendation, 21 March 2013. Available at <http://www.w3.org/TR/sparql11-query/>.
- [45] K. W. Wagner. More complicated questions about maxima and minima, and some closures of np. *Theor. Comput. Sci.*, 51(1-2):53–80, Mar. 1987.
- [46] G. Wechsung. On the boolean closure of NP. In *Fundamentals of Computation Theory*, pages 485–493. Springer, 1985.

APPENDIX

A. PROOF OF THEOREM 3.5

Statement *There exists a weakly-monotone graph pattern in SPARQL[AOF] that is not equivalent to any well-designed graph pattern in SPARQL[AOF].*

To prove this theorem we use the following two results, both proved in [30]:

PROPOSITION A.1. *Every well-designed graph pattern in SPARQL[AUF] is equivalent to a well-designed graph pattern in SPARQL[AUF] that has the form*

$$(\cdots((P_1 \text{ OPT } P_2) \text{ OPT } P_3) \cdots \text{ OPT } P_n),$$

where P_1 is OPT-free.

PROPOSITION A.2. *Let P be a well-designed graph pattern in SPARQL[AUF]. For every RDF graph G and every mapping $\mu \in \llbracket P \rrbracket_G$, it is the case that $\text{dom}(\mu) = \text{var}(P)$.*

Now we are ready to provide the proof of Theorem 3.5.

PROOF. Let P_{OPT} be the graph pattern $[(a, b, c) \text{ OPT } (?X, d, e) \text{ OPT } (?Y, f, g)]$. Define the graph pattern P as $P = P_{\text{OPT}} \text{ FILTER } (\text{bound}(?X) \vee \text{bound}(?Y))$. We show that P is weakly-monotone and is not equivalent to any well-designed graph pattern in SPARQL[AUF]. Let G_1 and G_2 be two RDF graphs such that $G_1 \subseteq G_2$, and let $\mu \in \llbracket P \rrbracket_{G_1}$. By semantics of filter, we have that $\mu \in \llbracket P_{\text{OPT}} \rrbracket_{G_1}$. Since P_{OPT} is well designed (and hence weakly monotone), this implies that $\mu \in \llbracket P_{\text{OPT}} \rrbracket_{G_2}$. As $\mu \models (\text{bound}(?X) \vee \text{bound}(?Y))$, we finally obtain that $\mu \in \llbracket P \rrbracket_{G_2}$. Now we show that P is not equivalent to any well-designed graph pattern in SPARQL[AUF], assume for the sake of contradiction that Q is a well-designed graph pattern in SPARQL[AUF] such that $P \equiv Q$. From Proposition A.1 we can assume without loss of generality that $Q = (\cdots((Q_1 \text{ OPT } Q_2) \text{ OPT } Q_3) \cdots \text{ OPT } Q_n)$, where Q_1 is OPT-free. Let ℓ be an IRI not mentioned in Q_1 , and define G_1 and G_2 as the RDF graphs $\{(a, b, c), (\ell, e, f)\}$ and $\{(a, b, c), (\ell, g, h)\}$, respectively. It is easy to see that $\llbracket P \rrbracket_{G_1} = [?X \rightarrow \ell]$ and $\llbracket P \rrbracket_{G_2} = [?Y \rightarrow \ell]$. By Proposition A.2, this implies that the variables $?X$ and $?Y$ cannot be mentioned in Q_1 , as otherwise they would both be present in the evaluation of P over every RDF graph. Now define the RDF graph $G = \{a, b, c\}$. Since Q_1 does not mention ℓ , it is clear that $\llbracket Q_1 \rrbracket_G = \llbracket Q_1 \rrbracket_{G_1}$. As $\llbracket Q \rrbracket_{G_1} \neq \emptyset$, we obtain that $\llbracket Q_1 \rrbracket_{G_1} = \llbracket Q_1 \rrbracket_G \neq \emptyset$ and therefore $\llbracket Q \rrbracket_G \neq \emptyset$. Since $\llbracket P \rrbracket_G = \emptyset$, we obtain a contradiction with the fact that Q and P are equivalent, which was to be shown. \square

B. PROOF OF THEOREM 3.6

Statement *There exists a weakly-monotone graph pattern in SPARQL[AUOF] that is not equivalent to any well-designed graph pattern in SPARQL[AUOF].*

We need the following proposition:

PROPOSITION B.1 ([30]). *Let P be a graph pattern in SPARQL[AOF] and G an RDF graph. Then, for every two distinct mappings $\mu_1, \mu_2 \in \llbracket P \rrbracket_G$, it is the case that $\mu_1 \neq \mu_2$.*

In simple words, this proposition states that a graph pattern in SPARQL[AOF] cannot output two compatible mappings. This is a key observation in the proof of Theorem 3.6.

PROOF. Let P be a graph pattern defined as

$$P = (?X, a, b) \text{ OPT } ((?X, c, ?Y) \text{ UNION } (?X, d, ?Z)).$$

Since in P both sides of the OPT are monotone, we can directly conclude that P is weakly-monotone. Now we prove that P is not equivalent to any well-designed graph pattern in SPARQL[AUOF]. Consider the following RDF graphs

$$\begin{aligned} G_1 &= \{(1, a, b)\} & G_2 &= \{(1, a, b), (1, c, 2)\} \\ G_3 &= \{(1, a, b), (1, d, 3)\} & G_4 &= \{(1, a, b), (1, c, 2), (1, d, 3)\}. \end{aligned}$$

By semantics of SPARQL we have:

$$\begin{aligned} \llbracket P \rrbracket_{G_1} &= \{[?X \rightarrow 1]\} & \llbracket P \rrbracket_{G_2} &= \{[?X \rightarrow 1, ?Y \rightarrow 2]\} \\ \llbracket P \rrbracket_{G_3} &= \{[?X \rightarrow 1, ?Z \rightarrow 3]\} & \llbracket P \rrbracket_{G_4} &= \{[?X \rightarrow 1, ?Y \rightarrow 2], [?X \rightarrow 1, ?Z \rightarrow 3]\} \end{aligned}$$

Assume for the sake of contradiction that P is equivalent to the SPARQL[AUOF] well-designed graph pattern $P' = P_1 \text{ UNION } P_2 \text{ UNION } \cdots \text{ UNION } P_n$. By semantics of UNION, there must be an i for which $\llbracket P_i \rrbracket_{G_1} = \{[?X \rightarrow 1]\}$. Without loss of generality we can assume $i = 1$. Since $\llbracket P \rrbracket_{G_2} = \{[?X \rightarrow 1, ?Y \rightarrow 2]\}$ and $G_1 \subseteq G_2$, the weak monotonicity of P_1 entails that $\llbracket P_1 \rrbracket_{G_2} = \{[?X \rightarrow 1, ?Y \rightarrow 2]\}$. Moreover, as $\llbracket P \rrbracket_{G_3} = \{[?X \rightarrow 1, ?Z \rightarrow 3]\}$ and $G_1 \subseteq G_3$ it is the case that $\llbracket P_1 \rrbracket_{G_3} = \{[?X \rightarrow 1, ?Z \rightarrow 3]\}$.

Since $[?X \rightarrow 1, ?Y \rightarrow 2] \in \llbracket P_1 \rrbracket_{G_2}$, $G_2 \subseteq G_4$ and $\llbracket P_1 \rrbracket_{G_4} = \{[?X \rightarrow 1, ?Y \rightarrow 2], [?X \rightarrow 1, ?Z \rightarrow 3]\}$, the weak monotonicity of P_1 implies that $[?X \rightarrow 1, ?Y \rightarrow 2] \in \llbracket P_1 \rrbracket_{G_4}$. The same analysis over G_3 and the mapping $[?X \rightarrow 1, ?Z \rightarrow 3]$ shows that $[?X \rightarrow 1, ?Z \rightarrow 3] \in \llbracket P_1 \rrbracket_{G_4}$.

We conclude that $\{[?X \rightarrow 1, ?Y \rightarrow 2], [?X \rightarrow 1, ?Z \rightarrow 3]\} \subseteq \llbracket P_1 \rrbracket_{G_4}$, showing that P_1 outputs two compatible mappings when evaluated over G_4 . This contradicts Proposition B.1 and therefore P and P' cannot be equivalent, which was to be shown \square

C. PROOF OF THEOREM 4.1

Statement For every unrestricted weakly-monotone graph pattern P , there exists a graph pattern Q in SPARQL[AUFS] such that $P \equiv_s^{\text{inf}} Q$.

As discussed in the paper, the poof of this theorem is based on Lyndon's [25] and Otto's [27] interpolation theorems. We start by presenting a translation from graph patterns to first-order formulas that will further allow us to papply these results over SPARQL in unrestricted RDF setting.

Given a graph pattern P , define $\mathcal{L}_{\text{RDF}}^P$ as the vocabulary that contains a ternary relation symbol T , a unary relation symbol Dom , a constant symbol c_i for each $i \in \mathbf{I}(P)$, and a constant symbol n . We say that an $\mathcal{L}_{\text{RDF}}^P$ -structure $\mathfrak{A} = \langle D, T^{\mathfrak{A}}, Dom^{\mathfrak{A}}, \{c_i^{\mathfrak{A}}\}_{i \in \mathbf{I}}, n^{\mathfrak{A}} \rangle$ corresponds to an unrestricted RDF graph G if

- D is a set of IRIs plus an additional element N ;
- $G = T^{\mathfrak{A}} \cap (Dom^{\mathfrak{A}} \times Dom^{\mathfrak{A}} \times Dom^{\mathfrak{A}})$;
- for every $i \in \mathbf{I}(G)$, it is the case that $c_i^{\mathfrak{A}} = i$; and
- $n^{\mathfrak{A}} = N$ and N occurs neither in $Dom^{\mathfrak{A}}$ nor in $T^{\mathfrak{A}}$.

For every graph pattern P and unrestricted RDF graph G , there is an infinite set of $\mathcal{L}_{\text{RDF}}^P$ -structures that correspond to G . We denote this set by \mathcal{A}_G^P . At this stage, the constant n and the unary relation Dom might seem unnecessary; their importance will become clear later.

Now we need to define a relation between mappings and tuples. To this end, assume an arbitrary order \leq over the set of variables \mathbf{V} . Let $X = \{?X_1, \dots, ?X_\ell\}$ be a set of variables ordered under \leq . Given a mapping μ we define the extension of μ to X as the function $\mu^X : \text{dom}(\mu) \cup X \rightarrow \mathbf{I}$ such that $\mu^X(?X) = \mu(?X)$ for every $?X \in \text{dom}(\mu)$, and $\mu^X(?X) = N$ for $?X \in X \setminus \text{dom}(\mu)$. Using this function we define the tuple corresponding to μ under X as $t_\mu^X = (\mu^X(?X_1), \dots, \mu^X(?X_\ell))$. Given a graph pattern P , and a mapping μ , we define t_μ^P as $t_\mu^{\text{var}(P)}$. Moreover, we simplify notation by writing t_μ instead of $t_\mu^{\text{dom}(\mu)}$.

Having defined the previous FO setting, we embark on the task of defining an FO formula $\varphi_P(\bar{x})$ that is equivalent to P in the following sense: for every mapping μ , unrestricted RDF graph G and $\mathcal{L}_{\text{RDF}}^P$ -structure $\mathfrak{A} \in \mathcal{A}_G$, it is the case that $\mu \in \llbracket P \rrbracket_G$ if and only if $\mathfrak{A} \models \varphi_P(t_\mu^P)$. To this end we need to take an intermediate step: we create one formula for each subset of $\text{var}(P)$. Intuitively, the formula corresponding to a subset X of $\text{var}(P)$ will *generate* the tuples corresponding to mappings that bind exactly X . We abuse notation by treating FO and SPARQL variables indistinctly. We also abuse notation by extending every mapping μ to $\text{dom}(\mu) \cup \mathbf{I}$, where $\mu(i) = i$ for every $i \in \mathbf{I}$.

LEMMA C.1. For every SPARQL graph pattern P , there is a set $\{\varphi_X^P(\bar{X})\}_{X \subseteq \text{var}(P)}$ of formulas in $\mathcal{L}_{\text{RDF}}^P$ satisfying the following condition: Given a mapping μ , an unrestricted RDF graph G and a $\mathcal{L}_{\text{RDF}}^P$ structure in \mathcal{A}_G , it is the case that $\mu \in \llbracket P \rrbracket_G$ if and only if $\mathfrak{A} \models \varphi_{\text{dom}(\mu)}^P(t_\mu)$.

PROOF. Let P be a SPARQL graph pattern. We proceed by induction on the structure of P .

- Let $P = (t_1, t_2, t_3)$ be a triple pattern and let $\mathfrak{A} \in \mathcal{A}_G$ for some unrestricted RDF graph G . Since for every RDF graph G and mapping $\mu \in \llbracket P \rrbracket_G$ we have $\text{var}(P) = \text{dom}(\mu)$, define $\varphi_X^P(\bar{X})$ as a contradiction for every $X \subsetneq \text{var}(P)$. For $X = \text{var}(P)$ define

$$\varphi_X^P(\bar{X}) = T(t_1, t_2, t_3) \wedge Dom(t_1) \wedge Dom(t_2) \wedge Dom(t_3).$$

A mapping μ belongs to $\llbracket P \rrbracket_G$ if and only if $(\mu(t_1), \mu(t_2), \mu(t_3))$ belongs to G , which occurs if and only if $\mu(t_1), \mu(t_2), \mu(t_3) \in Dom^{\mathfrak{A}}$ and $(\mu(t_1), \mu(t_2), \mu(t_3)) \in T^{\mathfrak{A}}$, concluding this case.

- Let $P = P_1 \text{ UNION } P_2$ and let $\mathfrak{A} \in \mathcal{A}_G$ for some unrestricted RDF graph G . For every $X \subseteq \text{var}(P)$ define $\varphi_X^P(\bar{X})$ as

$$\varphi_X^P(\bar{X}) = \varphi_X^{P_1}(\bar{X}) \vee \varphi_X^{P_2}(\bar{X}).$$

Let μ be a mapping and $X = \text{dom}(\mu)$. By semantics of UNION, $\mu \in \llbracket P \rrbracket_G$ if and only if $\mu \in \llbracket P_1 \rrbracket_G \cup \llbracket P_2 \rrbracket_G$. Hence, by hypothesis we have $\mu \in \llbracket P \rrbracket_G$ if and only if $\mathfrak{A} \models \varphi_X^{P_1}(t_\mu)$ or $\mathfrak{A} \models \varphi_X^{P_2}(t_\mu)$, which is the semantic definition of $\mathfrak{A} \models \varphi_X^P(t_\mu) \vee \varphi_X^{P_2}(t_\mu)$.

- Let $P = P_1 \text{ AND } P_2$ and let $\mathfrak{A} \in \mathcal{A}_G$ for some unrestricted RDF graph G . For every $X \subseteq \text{var}(P)$ define the formula $\varphi_X^P(\bar{X})$ as

$$\varphi_X^P(\bar{X}) = \bigvee_{X_1 \cup X_2 = X} \left[\varphi_{X_1}^{P_1}(\bar{X}_1) \wedge \varphi_{X_2}^{P_2}(\bar{X}_2) \right].$$

Let μ be a mapping and let $X = \text{dom}(\mu)$. If μ belongs to $\llbracket P \rrbracket_G$, then there are two compatible mappings $\mu_1 \in \llbracket P_1 \rrbracket_G$ and $\mu_2 \in \llbracket P_2 \rrbracket_G$ such that $\mu = \mu_1 \cup \mu_2$. Let $X_1 = \text{dom}(\mu_1)$ and $X_2 = \text{dom}(\mu_2)$. By hypothesis, we know that $\mathfrak{A} \models \varphi_{X_1}^{P_1}(t_{\mu_1})$ and $\mathfrak{A} \models \varphi_{X_2}^{P_2}(t_{\mu_2})$ which is equivalent to $\mathfrak{A} \models \varphi_{X_1}^{P_1}(t_{\mu_1}) \wedge \varphi_{X_2}^{P_2}(t_{\mu_2})$. As $X_1 \cup X_2 = X$ we have $\mathfrak{A} \models \varphi_X^P(t_\mu)$.

For the converse, if $\mathfrak{A} \models \varphi_X^P(t_\mu)$ then there are two sets X_1 and X_2 such that $X_1 \cup X_2 = X$ and both $\mathfrak{A} \models \varphi_{X_1}^{P_1}(t_{\mu}^{X_1})$ and $\mathfrak{A} \models \varphi_{X_2}^{P_2}(t_{\mu}^{X_2})$ hold. Define μ_i as μ restricted to X_i ($i \in \{1, 2\}$). It follows from the hypothesis that $\mu_1 \in \llbracket P_1 \rrbracket_G$ and $\mu_2 \in \llbracket P_2 \rrbracket_G$. Since μ_1 and μ_2 are compatible (they are both restrictions of μ) and $\mu = \mu_1 \cup \mu_2$, this implies $\mu \in \llbracket P \rrbracket_G$, which was to be shown.

- Let $P = P_1 \text{ OPT } P_2$ and let $\mathfrak{A} \in \mathcal{A}_G$ for some unrestricted RDF graph G . For every $X \subseteq \text{var}(P)$ define the formula $\varphi_X^P(\bar{X})$ as

$$\varphi_X^P(\bar{X}) = \varphi_X^{P_1 \text{ AND } P_2}(\bar{X}) \vee \varphi_{\text{MINUS } X}^P(\bar{X})$$

where $\varphi_{\text{MINUS } X}^P(\bar{X})$ is defined as

$$\varphi_X^P(\bar{X}) \wedge \neg \bigvee_{X' \subseteq \text{var}(P_2)} \exists (X' \setminus X) \left(\bigwedge_{x' \in X'} Dom(x') \wedge \varphi_{X'}^{P_2}(\bar{X}') \right).$$

Let μ be a mapping and let $X = \text{dom}(\mu)$. Notice that μ belongs to $\llbracket P_1 \text{ AND } P_2 \rrbracket_G$ or to $\llbracket P_1 \rrbracket_G \setminus \llbracket P_2 \rrbracket_G$. In the first case, we know that $\mathfrak{A} \models \varphi_X^{P_1 \text{ AND } P_2}(t_\mu)$. It remains show that if $\mu \in \llbracket P_1 \rrbracket_G \setminus \llbracket P_2 \rrbracket_G$ then $\mathfrak{A} \models \varphi_{\text{MINUS}_X}^P(t_\mu)$. As $\mu \in \llbracket P_1 \rrbracket_G$, we know $\mathfrak{A} \models \varphi_X^{P_1}(t_\mu)$, so we only need to prove that there is no set $X' \subseteq \text{var}(P_2)$ such that $\mathfrak{A} \models \varphi_{X'}^{P_2}(t_\mu)$ for some mapping μ' compatible with μ . But if this was the case, by hypothesis we would have $\mu' \in \llbracket P_2 \rrbracket_G$. This contradicts the fact that $\mu \in \llbracket P_1 \rrbracket_G \setminus \llbracket P_2 \rrbracket_G$ as μ' and μ are obviously compatible.

For the converse, assume $\mathfrak{A} \models \varphi_X^P(t_\mu)$ where $X = \text{dom}(\mu)$. If $\mathfrak{A} \models \varphi_X^{P_1 \text{ AND } P_2}(t_\mu)$, we know by the AND case that $\mu \in \llbracket P_1 \text{ AND } P_2 \rrbracket_G$ and hence $\mu \in \llbracket P \rrbracket_G$. The remaining case is when $\mathfrak{A} \models \varphi_{\text{MINUS}_X}^P(t_\mu)$. If this is the case, by hypothesis it readily follows that $\mu \in \llbracket P_1 \rrbracket_G$. Now we have to prove that μ is not compatible with any mapping in $\llbracket P_2 \rrbracket_G$. Proceed by contradiction. Assume there is a mapping $\mu' \in \llbracket P_2 \rrbracket_G$ compatible with μ . We know $\mathfrak{A} \models \varphi_{X'}^{P_2}(t_\mu)$ where $X' = \text{dom}(\mu')$. Since μ and μ' are compatible, μ' can be obtained by extending the assignments in μ , and thus \mathfrak{A} would not satisfy $\varphi_{\text{MINUS}_X}^P(t_\mu)$, which leads to a contradiction.

- Let $P = \text{SELECT } V \text{ WHERE } Q$ and let $\mathfrak{A} \in \mathcal{A}_G$ for some unrestricted RDF graph G . For every $X \subseteq \text{var}(P)$ such that $X \not\subseteq V$, the formula $\varphi_X^P(\bar{X})$ is defined as a contradiction. It is immediate to show that this satisfies the equivalence, as P cannot output variables not mentioned in V . Now, for every $X \subseteq \text{var}(P) \cap V$ define the formula $\varphi_X^P(\bar{X})$ as

$$\varphi_X^P(\bar{X}) = \bigvee_{Y \subseteq \text{var}(P) \setminus X} \exists(Y \setminus X) \left(\bigwedge_{y \in Y} \text{Dom}(y) \wedge \varphi_Y^Q(\bar{Y}) \right)$$

Let μ be a mapping and let $X = \text{dom}(\mu)$. If μ belongs to $\llbracket P \rrbracket_G$, then there is a mapping $\mu' \in \llbracket Q \rrbracket_G$ such that $\mu'_{|X} = \mu$. Let $Y = \text{dom}(\mu')$. We have by hypothesis that $\mathfrak{A} \models \varphi_Y^Q(t_{\mu'})$, where $Y = \text{dom}(\mu')$. Since $t_{\mu'}$ is a tuple extending t_μ , by replacing the free variables in X according to t_μ we obtain that $\mathfrak{A} \models \exists(Y \setminus X) \varphi_Y^Q(t_{\mu'})$. It readily follows that $\mathfrak{A} \models \varphi_X^P(t_\mu)$.

For the converse, if $\mathfrak{A} \models \varphi_X^P(t_\mu)$, there must be a tuple \bar{a} that extends t_μ and a set of variables Y with $X \subseteq Y \subseteq \text{var}(P)$, such that $\mathfrak{A} \models \varphi_Y^Q(\bar{a})$. Let μ' be the mapping such that $t_{\mu'} = \bar{a}$. By hypothesis, we have that $\mu' \in \llbracket Q \rrbracket_G$. But since μ' corresponds to \bar{a} and \bar{a} extends t_μ , we have that $\mu'_{|X} = \mu$. We conclude that $\mu \in \llbracket \text{SELECT } V \text{ WHERE } Q \rrbracket_G$.

- Let $P = P_1 \text{ FILTER } R$ and let $\mathfrak{A} \in \mathcal{A}_G$ for some unrestricted RDF graph G . For every $X \subseteq \text{var}(P)$ define $\varphi_X^P(\bar{X})$ as

$$\varphi_X^P(\bar{X}) = \varphi_X^{P_1}(\bar{X}) \wedge \varphi_R(\bar{X})$$

where $\varphi_R(\bar{X})$ is inductively defined as follows:

- If R is an equality and $\text{var}(R) \not\subseteq X$, then $\varphi_R = \text{False}$.
- If R is an equality and $\text{var}(R) \subseteq X$, then $\varphi_R = R$.
- If $R = \text{bound}(x)$ and $x \notin X$ then $\varphi_R = \text{False}$.
- If $R = \text{bound}(x)$ and $x \in X$ then $\varphi_R = \text{True}$.
- If R is of the form $\neg R_1$, $R_1 \wedge R_2$, or $R_1 \vee R_2$ for filter conditions R_1 and R_2 , then φ_R is the corresponding Boolean combination of φ_{R_1} and φ_{R_2} .

Let μ a mapping and let $X = \text{dom}(\mu)$. It is easy to see from the definition of φ_R that $\mathfrak{A} \models \varphi_R(t_\mu)$ if and only if $\mu \models R$. By hypothesis we have $\mu \in \llbracket P_1 \rrbracket_G$ if and only if $\mathfrak{A} \models \varphi_{\text{dom}(\mu)}^{P_1}(t_\mu)$, and hence it readily follows that $\mathfrak{A} \models \varphi_{\text{dom}(\mu)}^{P_1}(t_\mu) \wedge \varphi_R(\bar{X})$ if and only if $\mu \in \llbracket P_1 \rrbracket_G$ and $\mu \models R$, which was to be shown.

□

Given a SPARQL graph pattern, the previous Lemma allows us to construct a set of formulas that together, in a sense, are equivalent to P . We now need to transform such set into one single formula. As it can be foreseen, the main issue in this transformation is that mappings do not bind every variable in $\text{var}(P)$, producing a problem in the set of FO free variables.

LEMMA C.2. *For every SPARQL graph pattern P there is a first-order formula φ_P in \mathcal{L}_{RDF}^P that is equivalent to P .*

PROOF. Let P be a SPARQL graph pattern, and let $\{\varphi_X^P(\bar{X})\}_{X \subseteq \text{var}(P)}$ be the set of formulas obtained from applying Lemma C.1 to P . Let $Y = \text{var}(P)$ and define the first-order formula $\varphi_P(Y)$ as follows:

$$\varphi_P(Y) = \bigvee_{X \subseteq Y} \left[\varphi_X^P(X) \wedge \bigwedge_{z \in \text{var}(P) \setminus X} z = n \right]$$

We show that P and φ_P are equivalent. Let $\mathfrak{A} \in \mathcal{A}_G$ for some unrestricted RDF graph G .

- $[\Rightarrow]$ Let $\mu \in \llbracket P \rrbracket_G$ and let $X = \text{dom}(\mu)$. By definition, t_μ^P makes variables $\text{var}(P) \setminus X$ equal to n . It follows that $\mathfrak{A} \models y = n$ for every $y \in \text{var}(P) \setminus X$ when evaluated over t_μ^P . Also, we know from Lemma C.1 that $\mathfrak{A} \models \varphi_X^P(t_\mu)$. Hence we have that $\mathfrak{A} \models \varphi_P(t_\mu^P)$, concluding this direction.
- $[\Leftarrow]$ Let μ be a mapping such that $\mathfrak{A} \models \varphi_P(t_\mu^P)$. Since the variables equal to n in t_μ^P are precisely those not in $\text{dom}(\mu)$, the only disjunct that can be satisfied is that in which $X = \text{dom}(\mu)$. Hence, we know that $\mathfrak{A} \models \varphi_X^P(t_\mu)$. From Lemma C.1 this directly implies $\mu \in \llbracket P \rrbracket_G$, concluding the proof.

□

It is important to mention that the previous transformation creates an FO formula with the same set of free variables that the original graph pattern. Having a transformation from SPARQL to FO, we can now apply the previously mentioned interpolation techniques. Notice that the formula resulting from a graph pattern can have equalities, and hence we use the version of Otto's interpolation theorem in which equalities are allowed.

Now we need to write a formula expressing weak-monotonicity in our FO setting. Given two tuples $\bar{x} = (x_1, \dots, x_n)$ and $\bar{y} = (y_1, \dots, y_n)$ of the same length, define the formula $\bar{x} \leq \bar{y}$ by

$$\bar{x} \leq \bar{y} = \bigwedge_{i=1}^n (x_i = y_i \vee x_i = n).$$

It can be seen that given two mappings μ_1 and μ_2 , it is the case that μ_1 is subsumed by μ_2 if and only if $t_{\mu_1}^V \leq t_{\mu_2}^V$ for every set V of variables. Define now the extended vocabulary $\mathcal{L}_{\text{RDF}}^{P_2}$ as $\mathcal{L}_{\text{RDF}} \cup \{T', \text{Dom}'\}$, where T' is a ternary predicate symbol and Dom' is a unary predicate symbol. We say that an $\mathcal{L}_{\text{RDF}}^{P_2}$ -structure \mathfrak{A} corresponds to a graph G if the restriction of \mathfrak{A} to $\mathcal{L}_{\text{RDF}}^P$ corresponds to G . Let P be a SPARQL graph pattern and let be the $\mathcal{L}_{\text{RDF}}^P$ -formula obtained from applying Lemma C.2 to a SPARQL graph pattern φ_P . Consider the following $\mathcal{L}_{\text{RDF}}^{P_2}$ -formula:

$$[\varphi_P(T, \text{Dom}, \bar{x}) \wedge T \subseteq T' \wedge \text{Dom} \subseteq \text{Dom}'] \rightarrow \exists \bar{y} (\bar{x} \leq \bar{y} \wedge \varphi_P(T', \text{Dom}', \bar{y})). \quad (5)$$

The idea behind this formula is to state that P is a weakly-monotone graph pattern. Indeed, it is not hard to see that if P is a weakly-monotone graph pattern then (5) is satisfied by structures that represent RDF graphs. However, there are structures that do not correspond to any RDF graph, and therefore we cannot assert that the previous formula is a tautology. As we will see later, interpolation techniques can only be applied over tautologies. To overcome this problem, we define a sentence for stating that the structure corresponds to an RDF graph. This sentence is defined as

$$\Phi_{\text{RDF}} = \bigwedge_{i \in I} c_i \neq n \wedge \bigwedge_{i \neq j} c_i \neq c_j \wedge \neg \text{Dom}(n).$$

It is easy to see that an $\mathcal{L}_{\text{RDF}}^{P_2}$ -structure satisfies Φ_{RDF} if and only if it corresponds to some RDF graph. By including Φ_{RDF} in the left hand side of the implication we obtain a proper tautology:

$$[\Sigma_{\text{RDF}} \wedge \varphi(T, \text{Dom}, \bar{x}) \wedge T \subseteq T' \wedge \text{Dom} \subseteq \text{Dom}'] \rightarrow \exists \bar{y} (\bar{x} \leq \bar{y} \wedge \varphi(T', \text{Dom}', \bar{y})). \quad (6)$$

Assume now that P is weakly monotone. Since φ_P is equivalent to P (which is weakly-monotone), we know that the above implication is a tautology. Therefore, we can obtain an interpolant $\theta(T', \text{Dom}', \bar{x})$ satisfying the conditions from Otto's interpolation theorem. Unfortunately, and as opposed to the applications of interpolation in FO, this interpolant is not necessarily equivalent to φ_P . In particular, we will see that the interpolant is not only weakly-monotone, but also monotone. However, there is a strong connection between φ_P and θ , which is again stated in terms of subsumption equivalence.

DEFINITION C.3. *Let $\varphi(\bar{x})$ and $\psi(\bar{x})$ be two FO formulas. We say that φ and ψ are subsumption-equivalent under RDF graphs if for every structure \mathfrak{A} corresponding to an RDF graph and every tuple \bar{a} , if $\mathfrak{A} \models \varphi(\bar{a})$ then there is a tuple \bar{b} such that $\mathfrak{A} \models \psi(\bar{b})$ and $\bar{a} \leq \bar{b}$, and vice-versa.*

Now we are ready to prove the main result obtained from translating SPARQL to FO and applying interpolation.

THEOREM C.4. *Let P be a weakly-monotone graph pattern. Then there are two $\mathcal{L}_{\text{RDF}}^P$ -formulas φ and ψ such that φ is equivalent to P , ψ is subsumption-equivalent to φ under RDF graphs, and φ is positive existential.*

PROOF. Let P be a weakly-monotone graph pattern and let φ_P be the $\mathcal{L}_{\text{RDF}}^P$ -formula obtained from Theorem C.2. Since φ_P is equivalent to P , which is weakly-monotone, we know that formula 6 is a tautology. Then, there is an interpolant θ that satisfies the next conditions:

- (1) $[\Sigma_{\text{RDF}} \wedge \varphi(T, \text{Dom}, \bar{x}) \wedge T \subseteq T' \wedge \text{Dom} \subseteq \text{Dom}'] \rightarrow \theta(T', \text{Dom}', \bar{x})$,
- (2) $\theta(T', \text{Dom}', \bar{x}) \rightarrow \exists \bar{y} (\bar{x} \leq \bar{y} \wedge \varphi(T', \text{Dom}', \bar{y}))$,
- (3) θ only mentions the predicates T' and Dom' ,
- (4) θ is positive in both T' and Dom' .

As φ_P and Σ_{RDF} are $\{\text{Dom}, \text{Dom}'\}$ -relativized and Dom is not mentioned in θ , we can deduce that θ is $\{\text{Dom}'\}$ -relativized. Moreover, Dom' is mentioned positively in θ from which we conclude, as in the first-order case, that θ is an existential formula. Now it only remains to show that φ_P and θ are subsumption-equivalent under RDF graphs. Let \mathfrak{A} be an $\mathcal{L}_{\text{RDF}}^P$ -structure corresponding to an RDF graph G . Define \mathfrak{A}' as the structure in $\mathcal{L}_{\text{RDF}}^{P'}$ that results from extending \mathfrak{A} with $T' = T$ and $\text{Dom}' = \text{Dom}$.

- $[\Rightarrow]$ For this direction we prove a stronger result: every answer to $\varphi(T, \text{Dom})$ is also an answer to $\theta(T, \text{Dom})$. Let \bar{a} be a tuple such that $\mathfrak{A} \models \varphi(T, \text{Dom}, \bar{a})$. Since $\varphi(T, \text{Dom}, \bar{x})$ does not mention T' nor Dom' , we know that $\mathfrak{A}' \models \varphi(T, \text{Dom}, \bar{a})$. We also know that both $T \subseteq T'$ and $\text{Dom} \subseteq \text{Dom}'$ hold in \mathfrak{A} , so by (1) we have that $\mathfrak{A}' \models \theta(T', \text{Dom}', \bar{a})$. It immediately follows that $\mathfrak{A} \models \theta(T, \text{Dom}, \bar{a})$.
- $[\Leftarrow]$ Let \bar{a} be a tuple such that $\mathfrak{A} \models \theta(T, \text{Dom}, \bar{a})$. Since $\theta(T, \text{Dom}, \bar{x})$ does not mention T' nor Dom' , and in \mathfrak{A}' we have $T = T'$ and $\text{Dom} = \text{Dom}'$, we know that $\mathfrak{A}' \models \theta(T', \text{Dom}', \bar{a})$. By (2), there must be a tuple \bar{b} such that $\bar{a} \leq \bar{b}$ and $\mathfrak{A}' \models \varphi(T', \text{Dom}', \bar{b})$.

We have that θ is a positive existential formula that is subsumption-equivalent under RDF graphs to φ_P , which is equivalent to P , concluding the proof. \square

The previous theorem establishes what we obtain from applying interpolation to formulas related to weakly-monotone SPARQL graph patterns. We now know that given a weakly-monotone SPARQL graph pattern P , there is a positive existential formula φ_P that is subsumption-equivalent under RDF graphs a formula that is equivalent to P . To simplify notation, whenever this is the case we say that φ_P is subsumption-equivalent to P , and write $\varphi_P \equiv_s P$. Next we discuss how to transform such formula φ_P back into SPARQL, and what is the syntactic form of the obtained graph pattern. In this transformation we do not need the equivalence for all structures that correspond to RDF graphs. Instead, we use a weaker notion of equivalence in which the correspondence between the formula and the graph pattern only holds in very specific structures.

DEFINITION C.5. *Let G be an unrestricted RDF graph and let P be a graph pattern. The first-order structure that represents G for P is denoted by G_{FO}^P , and is defined as the only \mathcal{L}_{RDF}^P -structure with domain $\mathbf{I}(G) \cup \{N\}$ that corresponds to G .*

Notice that in a structure representing an unrestricted RDF graph G , Dom is interpreted as $\mathbf{I}(G)$ and T corresponds precisely to the triples in G . Now we define the notion of equivalence that will hold when transforming a first-order positive existential formula into a SPARQL graph pattern.

DEFINITION C.6. *Given an \mathcal{L}_{RDF}^P -formula φ_P and a graph pattern P , we say that P and φ_P are equivalent in RDF structures, denoted by $P \equiv_{RDF} \varphi$, if for every mapping μ and RDF graph G , it is the case that $\mu \in \llbracket P \rrbracket_G$ if and only if $G_{FO}^P \models \varphi(\mu)$.*

We also use the relation \equiv_{RDF} between two FO formulas to assert that they coincide in every structure representing an RDF graph for some pattern. Now we proceed to define the aforementioned transformation: given a positive existential formula φ_P , we construct a graph pattern P such that $\varphi \equiv_{RDF} P$. To this end, we first transform our formula into a union of conjunctive queries (UCQ) with inequalities. A UCQ with inequalities is a formula of the form $\varphi(\bar{x}) = \exists \bar{y}_1 \varphi_1(\bar{y}_1, \bar{x}) \vee \dots \vee \exists \bar{y}_n \varphi_n(\bar{y}_n, \bar{x})$, where for every $i \in \{1, \dots, n\}$:

- φ_i is a conjunction of equalities, inequalities, and positive occurrences of predicates, and
- the set of free variables in φ_i is precisely the set of free variables in φ_P .

Denote by UCQ^\neq the set of all UCQs with inequalities. Before proceeding with our translation, we need to prove that positive existential formulas can be translated to UCQs with inequalities under certain conditions.

LEMMA C.7. *Let G be an unrestricted RDF graph and let P be a graph pattern. Let φ_P be a positive existential \mathcal{L}_{RDF}^P -formula that is subsumption-equivalent to P . There is an \mathcal{L}_{RDF}^P -formula γ in UCQ^\neq such that*

- The predicate Dom does not occur in γ ,
- Every equality and inequality in γ contains at least one variable,
- $\varphi \equiv_{RDF} \gamma$.

PROOF. Let φ_P be a positive existential formula in \mathcal{L}_{RDF}^P . Define

$$Adom(x) = \exists y \exists z (T(x, y, z) \vee T(y, x, z) \vee T(y, z, x))$$

and let φ_T be the result of replacing in φ_P every occurrence of Dom by $Adom$. It is clear that φ_T is also a positive existential formula and that it does not mention the predicate Dom . It is also clear that $\varphi_T \equiv_{RDF} \varphi$, since in every structure representing an RDF graph Dom and $Adom$ are equivalent. Since φ_T is positive existential, we can assume w.l.o.g that $\varphi_T(\bar{x}) = \exists \bar{y}_1 \varphi_1(\bar{y}_1, \bar{x}_1) \vee \dots \vee \exists \bar{y}_n \varphi_n(\bar{y}_n, \bar{x}_n)$ where each φ_i is a conjunction of equalities, inequalities, and positive occurrences of predicates [1]. Notice, however, that the free variables in the disjuncts are not necessarily \bar{x} . Let ψ be the result of applying the next procedure over φ_T :

- (1) remove every equality between two equal constants,
- (2) remove every disjunct with an occurrence of T mentioning the constant n ,
- (3) remove every disjunct with an equality between two distinct constants.

Since equalities between equal constants are tautologies, the first operation does not alter the formula. In a structure corresponding to an RDF graph, the element associated with the constant n does not appear in any occurrence of the predicate T , so the second operation preserves the equivalence \equiv_{RDF} . Moreover, in structures corresponding to RDF graphs every two constants have different interpretation, and hence the third operation also preserves the equivalence in these structures. It follows that $\varphi_T \equiv_{RDF} \psi$. Finally, we transform ψ into a formula γ such that every disjunct of γ has the same free variables as ψ . Assume that $\psi(\bar{x}) = \exists \bar{y}_1 \psi_1(\bar{y}_1, \bar{x}_1) \vee \dots \vee \exists \bar{y}_n \psi_n(\bar{y}_n, \bar{x}_n)$, where \bar{x} is the set of free variables in ψ and \bar{x}_i is the set of free variables in ψ_i . For $i \in \{1, \dots, n\}$ define

$$\gamma_i(\bar{x}) = \bigvee_{X \subseteq \bar{x}_i} \exists \bar{y}_i \left(\psi_i(\bar{x}_i, \bar{y}_i) \wedge \bigwedge_{x \in X} Adom(x) \wedge \bigwedge_{x \in \bar{x}_i \setminus X} x = n \right)$$

Finally, let $\gamma(\bar{x}) = \gamma_1(\bar{x}) \vee \dots \vee \gamma_n(\bar{x})$. We show that $\gamma(\bar{x}) \equiv_{RDF} \psi(\bar{x})$.

- Let G be an RDF graph and let \bar{a} be a tuple such that $G_{FO}^P \models \gamma(\bar{a})$. Hence, $G_{FO}^P \models \gamma_i(\bar{a})$ for some $i \in \{1, \dots, n\}$. This implies that $G_{FO}^P \models \exists \bar{y}_i (\psi(\bar{a}_i, \bar{y}_i))$, where \bar{a}_i is the tuple that results from restricting \bar{a} to \bar{x}_i . By the definition of ψ , this implies that $G_{FO}^P \models \psi(\bar{a})$.

- Let G be an RDF graph and let \bar{a} be a tuple such that $G_{\text{FO}}^P \models \psi(\bar{a})$. Hence, $G_{\text{FO}}^P \models \exists \bar{y}_i (\psi(\bar{a}_i, \bar{y}_i))$ for some $i \in \{1, \dots, n\}$, where \bar{a}_i is the tuple that results from restricting \bar{a} to \bar{x}_i . Let X be the set of variables in $\bar{a} \setminus \bar{a}_i$ that are assigned to elements mentioned in T_{FO}^P . Since the only element not mentioned in T_{FO}^P is N , and N is assigned to the constant n , it is clear that

$$G_{\text{FO}}^P \models \exists \bar{y}_i \left(\psi(\bar{x}_i, \bar{y}_i) \wedge \bigwedge_{x \in X} \text{Adom}(x) \wedge \bigwedge_{x \in \bar{x} \setminus (\bar{x}_i \cup X)} x = n \right)$$

and hence $G_{\text{FO}}^P \models \gamma(\bar{a})$.

We have that γ satisfies the desired conditions. In particular, the set of free variables in every disjunct of γ is \bar{x} . This concludes the proof since $\varphi \equiv_{\text{RDF}} \varphi_T \equiv_{\text{RDF}} \psi \equiv_{\text{RDF}} \gamma$.

□

Having this equivalence, we can now present the main transformation from positive existential formulas to SPARQL. As previously mentioned, we are particularly interested in the syntactic form of the resulting graph pattern.

THEOREM C.8. *Let φ_P be a positive existential formula. There is a graph pattern P in SPARQL[AUFS] such that $\varphi \equiv_{\text{RDF}} P$.*

PROOF. By Lemma C.7 we can assume w.l.o.g. that (1) φ_P is in UCQ[±], (2) in φ_P the predicate *Dom* is not mentioned, (3) the constant n is not present in any occurrence of T , and (4) every equality and inequality mentions at least one variable. We proceed by transforming the disjuncts of φ_P into SPARQL graph patterns. Suppose that φ_P is the following formula

$$\varphi(\bar{x}) = \exists \bar{y}_1 \varphi_1(\bar{y}_1, \bar{x}) \vee \dots \vee \exists \bar{y}_j \varphi_j(\bar{y}_j, \bar{x}).$$

Fix $k \in \{1, \dots, j\}$ and assume

$$\varphi_k = T(u_1, v_1, w_1) \wedge \dots \wedge T(u_n, v_n, w_n) \wedge a_1 = b_1 \wedge \dots \wedge a_m = b_m \wedge c_1 \neq d_1 \wedge \dots \wedge c_\ell \neq d_\ell$$

Where u_i, v_i and w_i are either variables or IRIs, and a_i, b_i, c_i and d_i are either variables, IRIs or the constant n (for i in the suitable intervals). For every equality $a_i = b_i$, define the filter condition R_i piecewise as $\neg \text{bound}(?X)$ if $\{a_i, b_i\} = \{n, ?X\}$ and $a_i = b_i$ otherwise. For every inequality $c_i \neq d_i$, define the filter condition S_i piecewise as $\text{bound}(?X)$ if $\{c_i, d_i\} = \{n, ?X\}$ and $c_i \neq d_i$ otherwise. Define the graph pattern Q_k as

$$Q_k = ((u_1, v_1, w_1) \text{ AND } \dots \text{ AND } (u_n, v_n, w_n)) \text{ FILTER } (R_1 \wedge \dots \wedge R_m \wedge S_1 \wedge \dots \wedge S_\ell)$$

By the conditions of Lemma C.7 this graph pattern is well-defined, and the free variables in φ_k and Q_k are exactly \bar{x} . We now need to prove that $\varphi_k \equiv_{\text{RDF}} Q_k$.

- $[\Rightarrow]$ Let G be an RDF graph and $\mu \in \llbracket Q_k \rrbracket_G$. This implies that $\mu((u_i, v_i, w_i)) \in G$. By the definition of G_{FO}^P and $t_\mu^{Q_k}$, we have $G_{\text{FO}}^P \models T(u_i, v_i, w_i)$ for each $i \in \{1, \dots, n\}$ when replacing variables according to $t_\mu^{Q_k}$. Now let $i \in \{1, \dots, n\}$. Recall from the definition of $t_\mu^{Q_k}$ that variables that are not bound in μ are assigned to N in $t_\mu^{Q_k}$. Hence, as $\mu \models R_i$ and $\mu \models S_i$, it is easy to see that $G_{\text{FO}}^P \models (a_i = b_i)$ and $G_{\text{FO}}^P \models (c_i \neq d_i)$ when replacing variables according to $t_\mu^{Q_k}$. We conclude that G_{FO}^P satisfies each conjunct of φ_k when variables are replaced according to μ , and therefore $G_{\text{FO}}^P \models \varphi_k(t_\mu^{Q_k})$.
- $[\Leftarrow]$ Let G be an RDF graph and let μ be a mapping such that $G_{\text{FO}}^P \models \varphi_k(t_\mu^{Q_k})$. We have that $G_{\text{FO}}^P \models T(u_i, v_i, w_i)$ when replacing variables according to $t_\mu^{Q_k}$, and hence $\mu((u_i, v_i, w_i)) \in G$ for each $i \in \{1, \dots, n\}$. Again, the variables assigned to N by $t_\mu^{Q_k}$ are precisely those variables not bound by μ . Hence, as $G_{\text{FO}}^P \models (a_i = b_i)$ and $G_{\text{FO}}^P \models (c_i \neq d_i)$ when replacing variables according to $t_\mu^{Q_k}$, it is easy to see that $\mu \models R_i$ and $\mu \models S_i$. By the semantics of **AND** and **FILTER**, we conclude that $\mu \in \llbracket Q_k \rrbracket_G$.

We have transformed the conjunctive part of each disjunct of φ_P into a first-order formula. Now we need to include in our transformation the existential quantification. This is achieved by means of **SELECT**.

Define the pattern P_k as **SELECT** \bar{x} **WHERE** Q_k . We show that $P_k \equiv_{\text{RDF}} \exists \bar{y}_k \varphi_k(\bar{y}_k, \bar{x})$. Let G be an RDF graph.

- $[\Rightarrow]$ Let $\mu \in \llbracket P_k \rrbracket_G$. By the semantics of **SELECT**, there must be a mapping $\mu' \in \llbracket Q_k \rrbracket_G$ such that $\mu'_{\bar{x}} = \mu$. Since $Q_k \equiv_{\text{RDF}} \varphi_k$, this implies that $G_{\text{FO}}^P \models \varphi_k(t_{\mu'}^{\bar{x} \cup \bar{y}_k})$. Since the projection of $t_{\mu'}^{\bar{x} \cup \bar{y}_k}$ to \bar{x} is precisely $t_\mu^{\bar{x}}$, we have that $G_{\text{FO}}^P \models \exists \bar{y}_k \varphi_k(\bar{y}_k, t_\mu^{\bar{x}})$, concluding the first direction.
- $[\Leftarrow]$ Let μ be a mapping such that $G_{\text{FO}}^P \models \exists \bar{y}_k \varphi_k(\bar{y}_k, t_\mu^{\bar{x}})$. Then, there is a tuple a that extends $t_\mu^{\bar{x}}$ by assigning an IRI or the value N to each variable in \bar{y}_k . Hence, a corresponds to $t_{\mu'}^{\bar{x} \cup \bar{y}_k}$ for some mapping μ' . Since $G_{\text{FO}}^P \models \varphi_k(t_{\mu'}^{\bar{x} \cup \bar{y}_k})$ and $\varphi_k \equiv_{\text{RDF}} Q_k$, this means that $\mu' \in \llbracket P_k \rrbracket_G$. As the restriction of μ' to \bar{x} is μ , we have that $\mu \in \llbracket \text{SELECT } \bar{x} \text{ WHERE } P_k \rrbracket_G$.

Having for each disjunct φ_P an equivalent graph pattern, we finally proceed to create a graph pattern that is equivalent to φ_P . This graph pattern is defined, as expected, as the disjunction between the previously constructed patterns. Let $P = P_1 \text{ UNION } \dots \text{ UNION } P_j$. It is immediate to prove that $P \equiv_{\text{RDF}} \varphi$: Let G be an RDF graph. A mapping μ belongs to $\llbracket P \rrbracket_G$ if and only if there is a $k \in \{1, \dots, j\}$ such that $\mu \in \llbracket P_k \rrbracket_G$. We already proved this is the case if and only if there is a $k \in \{1, \dots, j\}$ such that $G_{\text{FO}}^P \models \exists \bar{y}_k \varphi_k(\bar{y}_k, t_\mu^{\bar{x}})$, concluding the proof.

□

At this point we have one transformation from SPARQL to FO and one transformation from FO to graph patterns in SPARQL[AUFS]. The composition of these two transformations does not preserve all the answers, but only the maximal ones. Notice that this is expected, as it is well known that graph patterns in SPARQL[AUFS] are not only weakly-monotone, but also monotone. We are finally ready to prove that for every unrestricted weakly-monotone graph pattern P , there exists a graph pattern Q in SPARQL[AUFS] such that $P \equiv_s^{\text{inf}} Q$.

PROOF. Let P be an unrestricted weakly-monotone SPARQL graph pattern. Let φ_P be the existential first-order formula such that $P \equiv_s \varphi$ obtained from applying Lemma C.1. Denote by ψ the UCQ with inequalities equivalent to φ_P constructed by applying Lemma C.7. Now let Q be the graph pattern such that $Q \equiv_{\text{RDF}} \psi$ obtained from applying Theorem C.8. We prove that Q is equivalent in maximal answers to P .

- $[\Rightarrow]$ Let G be an unrestricted RDF graph and let μ be a mapping in $\llbracket P \rrbracket_G$. Then, we know that $G_{\text{FO}}^P \models \varphi(t_\mu^P)$ and hence there is a tuple \bar{a} such that $t_\mu^P \leq \bar{a}$ and $G_{\text{FO}}^P \models \psi(\bar{a})$. Let μ_a be the mapping corresponding to \bar{a} . It is easy to see that $\mu \leq \mu_a$. Moreover, from the equivalence between ψ and Q we obtain that $\mu_a \in \llbracket Q \rrbracket_G$.
- $[\Leftarrow]$ Let G be an RDF graph and let μ be a mapping in $\llbracket Q \rrbracket_G$. This implies that $G_{\text{FO}}^P \models \psi(t_\mu^P)$. Since ψ and φ are subsumption-equivalent, there is a tuple \bar{a} such that $t_\mu^P \leq \bar{a}$ and $G_{\text{FO}}^P \models \varphi(\bar{a})$. Let μ_a be the mapping corresponding to \bar{a} . It is easy to see that $\mu \leq \mu_a$. Moreover, since φ and P are equivalent, we conclude that $\mu_a \in \llbracket P \rrbracket_G$.

□

D. PROOF OF THEOREM 5.1

Statement *The languages SPARQL and NS-SPARQL have the same expressive power.*

As mentioned in the body, since $P_1 \text{ OPT } P_2 \equiv \text{NS}(P_1 \text{ UNION } (P_1 \text{ AND } P_2))$ it is trivial to show that $\text{SPARQL} \subseteq \text{NS-SPARQL}$. Therefore we only proceed to prove that every graph pattern in NS-SPARQL is equivalent to a graph pattern in SPARQL.

We first need to prove that every SPARQL graph pattern is equivalent to a graph pattern in UNION-normal-form. A graph pattern P is said to be in UNION-normal-form if $P = P_1 \text{ UNION } P_2 \text{ UNION } \dots \text{ UNION } P_n$, where each P_i ($1 \leq i \leq n$) is UNION-free.

PROPOSITION D.1. *Every SPARQL graph pattern is equivalent to a graph pattern in UNION-normal-form.*

PROOF. Let P be a SPARQL graph pattern. We proceed by induction over the structure of P . We only consider the case in which $P = \text{SELECT } V \text{ WHERE } Q$, as the other cases have already been proved² for SPARQL[AUOF] in [29].

Assume $P = \text{SELECT } V \text{ WHERE } Q$. By induction hypothesis we can assume that $Q = Q_1 \text{ UNION } \dots \text{ UNION } Q_n$ where each disjunct is UNION-free. We prove that

$$P \equiv (\text{SELECT } V \text{ WHERE } Q_1) \text{ UNION } \dots \text{ UNION } (\text{SELECT } V \text{ WHERE } Q_n).$$

Let G be an RDF graph and μ be a mapping.

- $[\Rightarrow]$ Assume $\mu \in \llbracket P \rrbracket_G$. Then, there is a mapping $\mu' \in \llbracket Q \rrbracket_G$ such that $\mu'_V = \mu$. implies there is an $i \in \{1, \dots, n\}$ such that $\mu' \in \llbracket Q_i \rrbracket_G$. It follows that $\mu \in \llbracket \text{SELECT } V \text{ WHERE } Q_i \rrbracket_G$.
- $[\Leftarrow]$ Assume $\mu \in \llbracket \text{SELECT } V \text{ WHERE } Q_i \rrbracket_G$ for $i \in \{1, \dots, n\}$. Then, there is a mapping $\mu' \in \llbracket Q_i \rrbracket_G$ such that $\mu'_V = \mu$. It follows that $\mu' \in \llbracket Q \rrbracket_G$, and hence $\mu \in \llbracket P \rrbracket_G$.

□

To prove that NS-SPARQL is contained in SPARQL we actually make use of a stronger version of UNION-normal-form. We abuse notation by writing $D \in P$ whenever P is a graph pattern in UNION-normal-form and D one of the disjuncts in P .

LEMMA D.2. *Let P be a SPARQL graph pattern. Then, there is a graph pattern P' in UNION-normal-form such that $P' \equiv P$. Moreover, for every $D \in P'$ there is a set of variables $V_D \subseteq \text{var}(P)$ such that for every RDF graph G and every $\mu \in \llbracket D \rrbracket_G$, it is the case that $\text{dom}(\mu) = V_D$.*

PROOF. Let P be a SPARQL graph pattern. For every $V \subseteq \text{var}(P)$, define the graph pattern

$$P_V = P \text{ FILTER } \left(\bigwedge_{?X \in V} \text{bound}(?X) \wedge \bigwedge_{?X \in \text{var}(P) \setminus V} \neg \text{bound}(?X) \right).$$

Notice that for every graph pattern G , $\llbracket P_V \rrbracket_G$ is the set of mappings μ in $\llbracket P \rrbracket_G$ such that $\text{dom}(\mu) = V$. Now, define the pattern P'_V as the transformation of P_V into UNION-normal-form. It is clear that the domain of every mapping that comes from the disjuncts of P'_V must be exactly V . Define P' as the disjunction (by means of UNION) of every P'_V ($V \subseteq \text{var}(P)$). We prove that P is equivalent to P' . Let G be an RDF graph and $\mu \in \llbracket P \rrbracket_G$. It is clear that $\mu \in \llbracket P_{\text{dom}(\mu)} \rrbracket_G$, and hence $\mu \in \llbracket P'_{\text{dom}(\mu)} \rrbracket_G$, which implies $\mu \in \llbracket P' \rrbracket_G$. For the converse, let $\mu \in \llbracket P' \rrbracket_G$. There is a set V of variables such that $\mu \in \llbracket P'_V \rrbracket_G$, and hence $\mu \in \llbracket P_V \rrbracket_G$, which implies $\mu \in \llbracket P \rrbracket_G$. Finally, as P' is a disjunction of graph patterns in UNION-normal-form, P' is also in UNION-normal-form. Moreover, the disjuncts in the UNION-normal-form version of P_V can only output mappings whose domain is precisely V , which concludes the proof. □

In simple words, the previous lemma allows us to distinguish the set of variables binded by the mappings coming from each disjunct. In the following we use the operation **MINUS**, which is defined as follows:

$$P_1 \text{ MINUS } P_2 = (P_1 \text{ OPT } (P_2 \text{ AND } (?x_1, ?x_2, ?x_3))) \text{ FILTER } \neg \text{bound}(?x_1).$$

²The original proof had an issue in the **OPT** case, it was later corrected in errata by the authors.

Given an RDF graph G , P_1 MINUS P_2 retrieves the mappings in $\llbracket P_1 \rrbracket_G$ that are not compatible with any mapping in $\llbracket P_2 \rrbracket_G$.

Now we are ready to prove that NS-SPARQL is contained in SPARQL.

LEMMA D.3. *Every NS-SPARQL graph pattern can be transformed into an equivalent SPARQL pattern.*

PROOF. Let P be a graph pattern in NS-SPARQL. We proceed by induction over the structure of P . The basic case is trivial as a triple pattern is already in SPARQL. For the inductive step to succeed we need to prove a slightly stronger property: every graph pattern in NS-SPARQL can be translated into SPARQL. Assume $P = NS(Q)$, which is the only nontrivial case. By hypothesis we can assume Q is in SPARQL (it might mention OPT). From Lemma D.2 we can suppose that Q is in UNION-normal-form and, moreover, that each disjunct of Q can only output mappings binding a fixed set of variables V_Q . Let Q' be a disjunct of Q , and assume Q_1, \dots, Q_n are all disjuncts of Q such that $V_{Q'} \subseteq V_{Q_i}$. Define the graph pattern

$$Q'_{NS} = Q' \text{ MINUS } (Q_1 \text{ UNION } \dots \text{ UNION } Q_n).$$

We prove that $NS(Q)$ is equivalent to the graph pattern defined as

$$R = \text{UNION}_{Q' \in Q} Q'_{NS}.$$

- $[\Rightarrow]$ Let G be an RDF graph and let $\mu \in \llbracket NS(Q) \rrbracket_G$. We have that $\mu \in \llbracket Q' \rrbracket_G$ for some disjunct Q' of Q , and that there is no mapping $\mu' \in \llbracket NS(Q) \rrbracket_G$ subsuming μ . It follows that there is no disjunct Q'' of Q and mapping $\mu'' \in \llbracket Q'' \rrbracket_G$ such that $V_{Q'} \subseteq V_{Q''}$ and $\mu \sim \mu''$, from which we can deduce that $\mu \in \llbracket Q'_{NS} \rrbracket_G$.
- $[\Leftarrow]$ Let G be an RDF graph and let $\mu \in \llbracket R \rrbracket_G$. We have that $\mu \in \llbracket Q'_{NS} \rrbracket_G$ for some disjunct Q' of Q . Then, $\mu \in \llbracket Q' \rrbracket_G$ and there is no disjunct Q'' of Q and mapping $\mu'' \in \llbracket Q'' \rrbracket_G$ such that $V_{Q'} \subseteq V_{Q''}$ and $\mu \sim \mu''$. This obviously implies that there is no mapping in $\llbracket Q \rrbracket_G$ subsuming μ , and hence $\mu \in \llbracket NS(Q) \rrbracket_G$.

This concludes the proof as the inductive step is trivial for every other operation. \square

From the previous proof we conclude that the NS operator can be removed by introducing MINUS, which is defined in terms of OPT. We conclude that every graph pattern in NS-SPARQL is equivalent to a SPARQL graph pattern, which was to be shown.

E. PROOF OF LEMMA 6.5

Statement *For every monotone CONSTRUCT query Q , there is a template H and an unrestricted weakly monotone SPARQL graph pattern P such that $Q \equiv^{\text{inf}} (\text{CONSTRUCT } H \text{ WHERE } P)$.*

PROOF. Let $q = \text{CONSTRUCT } H \text{ WHERE } P$ be a CONSTRUCT query. We can assume without loss of generality that $\text{var}(H) \subseteq \text{var}(P)$, as every triple in H mentioning a variable not occurring in P can be safely removed. For every triple pattern $t \in H$ define a renaming function $\sigma_t: \mathbf{V} \rightarrow \mathbf{V}$ in a way such that:

- For every $t, s \in H$ and every $v_1, v_2 \in \text{var}(P)$, it is the case that $\sigma_t(v_1) \neq \sigma_s(v_2)$.
- For every $t \in H$ and every $v \in \text{var}(P)$, $\sigma_t(v) \notin \text{var}(P)$.

For a mapping μ and a triple $t \in H$, define $\sigma_t[\mu]$ as the mapping that results from replacing the domain of μ by its image under σ_t . For every $t \in H$ let $Adom(t)$ be the conjunction (by means of AND) of $Adom(?X)$ for each variable $?X$ in $\text{var}(t)$. If t has no variables then $Adom(t)$ is considered to be a tautology.

For every $t \in H$ define the pattern P^t as the result of replacing in P every occurrence of a variable $?X$ by $\sigma_t(?X)$. For every two triples $t = (t_1, t_2, t_3)$ and $s = (s_1, s_2, s_3)$ in H define $R_{t,s}$ as the filter condition $(t_1 = \sigma_s(s_1) \wedge t_2 = \sigma_s(s_2) \wedge t_3 = \sigma_s(s_3))$, assuming, for the sake of simplicity, that $\sigma_s(a) = a$ for every $a \in \mathbf{I}$. Now we define the set of graph patterns that will serve as a basis for our construction. For each $t \in H$, define P_t as

$$P_t = \text{SELECT } \text{var}(t) \text{ WHERE } \left(\left[P \text{ UNION } \bigcup_{s \in H \setminus \{t\}} [(P^s \text{ AND } Adom(t)) \text{ FILTER } R_{t,s}] \right] \text{ FILTER } (\text{bound}(\text{var}(t))) \right)$$

We prove that the next three properties hold for every $t \in H$:

- (1) For every graph G and every mapping $\mu \in \llbracket P \rrbracket_G$, if $\mu(t) \in \text{ans}(q, G)$, then $\mu(t) \in \text{ans}(\text{CONSTRUCT } t \text{ WHERE } P_t, G)$.
- (2) For every graph G , $\text{ans}(\text{CONSTRUCT } t \text{ WHERE } P_t, G) \subseteq \text{ans}(q, G)$.
- (3) P_t is weakly-monotone.

The first property immediately follows from the fact that P is one of the disjuncts of P_t , as if $\mu(t) \in \text{ans}(q, G)$, then the variables in t are bounded by μ .

Now we proceed with (2). Let G be an RDF graph and let μ be a mapping in $\llbracket P_t \rrbracket_G$ such that $\mu(t) \in \text{ans}(\text{CONSTRUCT } t \text{ WHERE } P_t, G)$. Hence, μ must come from one of the disjuncts in P_t . If that disjunct is P , then we have that μ is the projection over $\text{var}(t)$ of a mapping in $\llbracket P \rrbracket_G$, and hence $\mu(t) \in \text{ans}(q, G)$. If not, then there is an $s \in H$ such that μ is subsumed by a mapping $\mu' \in \llbracket P^s \text{ AND } Adom(t) \text{ FILTER } R_{t,s} \rrbracket_G$. Then μ' is the join between two mappings. Let μ_s be the mapping in $\llbracket P^s \rrbracket_G$ of such join. Since P^s equals P by a renaming of all variables, the mapping $\sigma_s^{-1}[\mu_s]$ belongs to $\llbracket P \rrbracket_G$. Moreover, by the filter condition $R_{t,s}$, we know that $\sigma_s^{-1}[\mu_s]$ must bind all variables in $\text{var}(s)$, and hence $\sigma_s^{-1}[\mu_s](s) \in \text{ans}(q, G)$. But from the filter condition we know that $\sigma_s^{-1}[\mu_s](s)$ equals $\mu(t)$, and hence $\mu(t)$ belongs to $\text{ans}(q, G)$, which was to be shown.

Finally we prove that P_t is weakly monotone. Let G be an RDF graph and $\mu \in \llbracket P_t \rrbracket_G$. We know that $\text{dom}(\mu) = \text{var}(t)$, and hence $\mu(t) \in \text{ans}(\text{CONSTRUCT } t \text{ WHERE } P_t, G)$. By property 2 this implies that $\mu(t) \in \text{ans}(q, G)$. Let G' be an RDF graph such that $G \subseteq G'$. Since q is monotone, there must be a triple $s \in H$ and a mapping $\mu_s \in \llbracket P \rrbracket_{G'}$ such that $\mu_s(s) = \mu(t)$. Hence $\sigma_s[\mu_s] \in \llbracket P^s \rrbracket_{G'}$. Moreover, since $\mu_s(s) = \mu(t)$, we have that $\sigma_s[\mu_s] \bowtie \mu$ satisfy $R_{t,s}$. Hence, $\sigma_s[\mu_s] \bowtie \mu$ belongs to $\llbracket P^s \text{ AND } \text{Adom}(t) \text{ FILTER } R_{t,s} \rrbracket_{G'}$, and hence $\mu \in \llbracket P_t \rrbracket_{G'}$. This actually tells us that P_t is monotone, and therefore weakly-monotone.

Having defined the patterns P_t and proved the three properties above, we proceed with the main result. First, define for each $t \in H$ the CONSTRUCT query q_t , as CONSTRUCT t' WHERE P'_t , where t' and P'_t are the result of renaming the variables in t and P_t , respectively, by a single function. Without loss of generality we can assume that for $t, s \in H$, the queries q_t and q_s have pairwise disjoint sets of variables. Notice, however, that for every $t \in H$ the query q_t is equivalent to CONSTRUCT t WHERE P_t , and hence satisfies the three properties mentioned above. Finally, define H' and P' as:

$$H' = \{t' \mid t \in H\} \quad P' = \bigcup_{t \in H} P_t.$$

Let $q' = \text{CONSTRUCT } H' \text{ WHERE } P'$. We prove that q and q' are equivalent. Let G be an RDF graph.

\Rightarrow Let $\mu \in \llbracket P \rrbracket_G$ and $t \in H$ such that $\mu(t) \in \text{ans}(q, G)$. By the first property proved above, we know that $\mu(t)$ is in the answer to CONSTRUCT t WHERE P_t over G , which implies that $\mu(t) \in \text{ans}(\text{CONSTRUCT } t' \text{ WHERE } P'_t, G)$. Since P'_t is one of the disjuncts of P' and $t' \in H'$, we have that $\mu(t) \in \text{ans}(q', G)$.

\Leftarrow Let $\mu \in \llbracket P' \rrbracket_G$ and $t \in H'$ such that $\mu(t) \in \text{ans}(q', G)$. We know that $\mu \in \llbracket P'_s \rrbracket_G$ for some $s' \in H'$. If $\text{var}(t) \neq \emptyset$ then such s' must be t' as P'_t and P'_s do not share variables. In this case, $\mu(t) \in \text{ans}(\text{CONSTRUCT } t' \text{ WHERE } P'_t, G)$, which implies that $\mu(t) \in \text{ans}(\text{CONSTRUCT } t \text{ WHERE } P_t, G)$. By the second property, this implies $\mu(t) \in \text{ans}(q, G)$. On the other hand, if t has no variables, then we still know that $\mu \in \llbracket P'_s \rrbracket_G$ for some $s' \in H'$. This entails there is a mapping in $\llbracket P_s \rrbracket_G$. Hence, there is either a mapping μ' in $\llbracket P \rrbracket_G$ or in $\llbracket P^h \rrbracket_G$ for some $h \in H$. Since P^h is a renaming of P , in any case there must be a mapping $\mu' \in \llbracket P \rrbracket_G$. Finally, as t has no variables, $\mu'(t) = \mu(t) \in \llbracket P \rrbracket_G$.

We proved that q is equivalent to $q' = \text{CONSTRUCT } H' \text{ WHERE } P'$. Since P' is a disjunction between weakly-monotone graph patterns, we know that P' is also weakly monotone, concluding the proof. \square

F. PROOF OF PROPOSITION 6.7

Statement CONSTRUCT[AUF] has the same expressive power as CONSTRUCT[AUFS].

To prove this proposition we define an effective procedure for removing the UNION operator from a CONSTRUCT query. This procedure is given by the following recursive definition:

DEFINITION F.1. Let P be a NS-SPARQL graph pattern. The SELECT-free version of P , denoted by P_{sf} , is recursively defined as follows:

- If P is a triple pattern, then $P_{\text{sf}} = P$.
- If $P = \text{SELECT } V \text{ WHERE } P'$, then P_{sf} is the result of replacing in P'_s every variable in $\text{var}(P') \setminus V$ by a fresh variable. Notice that the SELECT is removed.
- If P is $(P_1 * P_2)$, where $*$ is one of $\{\text{AND}, \text{UNION}, \text{FILTER}\}$, then $P_{\text{sf}} = (P_{1\text{sf}} * P_{2\text{sf}})$, assuming that the sets of variables $\text{var}(P_{1\text{sf}}) \setminus \text{var}(P)$ and $\text{var}(P_{2\text{sf}}) \setminus \text{var}(P)$ are disjoint.
- If $P = \text{NS}(P')$, then $P_{\text{sf}} = \text{NS}(P'_{\text{sf}})$.
- If $P = P' \text{ FILTER } R$, then $P_{\text{sf}} = P'_{\text{sf}} \text{ FILTER } R$.

Now we need to prove the following equivalence between a graph pattern and its SELECT-free version.

LEMMA F.2. Let P be a graph pattern. For every RDF graph G , a mapping μ is in $\llbracket P \rrbracket_G$ if and only if there is a mapping $\mu' \in \llbracket P_{\text{sf}} \rrbracket_G$ such that $\mu \leq \mu'$ and $\text{dom}(\mu) = \text{dom}(\mu') \cap \text{var}(P)$.

PROOF. We proceed by induction. Assume G is an RDF graph and let μ be a mapping.

- If P is a triple pattern the result immediately follows.
- If P is $P_1 \text{ UNION } P_2$, then $\mu \in \llbracket P \rrbracket_G$ if and only if $\mu \in \llbracket P_1 \rrbracket_G \cup \llbracket P_2 \rrbracket_G$. By hypothesis, this occurs if and only if there is a mapping $\mu' \in \llbracket P_{1\text{sf}} \rrbracket_G \cup \llbracket P_{2\text{sf}} \rrbracket_G$ such that $\mu \leq \mu'$. This concludes the proof as $\llbracket P_{1\text{sf}} \rrbracket_G \cup \llbracket P_{2\text{sf}} \rrbracket_G = \llbracket P_{\text{sf}} \rrbracket_G$.
- Let $P = P_1 \text{ AND } P_2$. If $\mu \in \llbracket P \rrbracket_G$, then there are two mappings $\mu_1 \in \llbracket P_1 \rrbracket_G$ and $\mu_2 \in \llbracket P_2 \rrbracket_G$ such that $\mu = \mu_1 \cup \mu_2$. By hypothesis, this implies there are two mappings $\mu'_1 \in \llbracket P_{1\text{sf}} \rrbracket_G$ and $\mu'_2 \in \llbracket P_{2\text{sf}} \rrbracket_G$ such that $\mu_1 \leq \mu'_1$ and $\mu_2 \leq \mu'_2$. We know that μ_1 and μ_2 only mention variables in $\text{var}(P)$, and are compatible. This implies that μ'_1 and μ'_2 are compatible, as by definition they cannot have variables in common that are not mentioned in $\text{var}(P)$. Then, $\mu_1 \cup \mu_2 \in \llbracket P_{\text{sf}} \rrbracket_G$, which concludes this direction as $\mu \leq \mu_1 \cup \mu_2$. The opposite direction is proved by the same argument.
- Let $P = P_1 \text{ OPT } P_2$. We know that $\mu \in \llbracket P \rrbracket_G$ if and only if $\mu \in \llbracket P_1 \text{ MINUS } P_2 \rrbracket_G$ or $\mu \in \llbracket P_1 \text{ AND } P_2 \rrbracket_G$. We prove that $\mu \in \llbracket P_1 \text{ MINUS } P_2 \rrbracket_G$ if and only if $\mu \in \llbracket P_1 \text{ MINUS } P_{2\text{sf}} \rrbracket_G$, and that $\mu \in \llbracket P_1 \text{ AND } P_2 \rrbracket_G$ if and only if $\mu \in \llbracket P_1 \text{ AND } P_{2\text{sf}} \rrbracket_G$. The latter case was already proved. By definition, $\mu \in \llbracket P_1 \text{ MINUS } P_2 \rrbracket_G$ if and only if $\mu \in \llbracket P_1 \rrbracket_G$ and there is no $\mu' \in \llbracket P_2 \rrbracket_G$ compatible with μ . By hypothesis this occurs if and only if there is a mapping $\mu_1 \in \llbracket P_{1\text{sf}} \rrbracket_G$ such that $\mu \leq \mu_1$, and there is no mapping $\mu_2 \in \llbracket P_{2\text{sf}} \rrbracket_G$ compatible with μ (as μ_2 would be the extension of a mapping in $\llbracket P_2 \rrbracket_G$ compatible with μ). But these conditions occur if and only if $\mu_1 \in \llbracket P_{1\text{sf}} \text{ MINUS } P_{2\text{sf}} \rrbracket_G$. This concludes the proof as $\mu \leq \mu_1$.

- Let $P = P' \text{ FILTER } R$. Then $\mu \in \llbracket P \rrbracket_G$ if and only if $\mu \in \llbracket P' \rrbracket_G$ and $\mu \models R$. By hypothesis, we have that $\mu \in \llbracket P' \rrbracket_G$ if and only if there is a mapping $\mu' \in \llbracket P'_{\text{sf}} \rrbracket_G$ such that $\mu \leq \mu'$. Moreover, the variables in $\text{dom}(\mu') \setminus \text{dom}(\mu)$ are not mentioned in $\text{var}(P)$ and hence they are not mentioned in R . Hence $\mu \models R$ if and only if $\mu' \models R$, concluding the proof.
- If $P = \text{NS}(P')$, then $\mu \in \llbracket P \rrbracket_G$ implies μ is a maximal mapping in $\llbracket P' \rrbracket_G$. By hypothesis, this implies there is a mapping in $\llbracket P'_{\text{sf}} \rrbracket_G$ subsuming μ , and hence there must be a mapping in $\llbracket \text{NS}(P'_{\text{sf}}) \rrbracket_G$ subsuming μ . For the opposite direction, assume $\mu' \in \llbracket \text{NS}(P'_{\text{sf}}) \rrbracket_G$. Then, μ' is a maximal mapping in $\llbracket P'_{\text{sf}} \rrbracket_G$. Therefore, there must be a maximal mapping $\mu \in \llbracket P' \rrbracket_G$ such that $\mu \leq \mu'$, as if this was not the case then μ' would not be maximal.
- Let $P = \text{SELECT } V \text{ WHERE } P'$. Assume $\mu \in \llbracket P \rrbracket_G$. Then, there is a mapping $\mu' \in \llbracket P' \rrbracket_G$ such that $\mu \leq \mu'$. As P_{sf} results from renaming variables not mentioned in $\text{dom}(\mu)$ in P' , there must be a mapping μ'' that is a renaming of μ' subsuming μ . The opposite direction readily follows from a similar argument.

□

Finally we are ready to prove the original proposition, namely that CONSTRUCT[AUF] has the same expressive power as CONSTRUCT[AUFS] .

PROOF. We only need to prove that every CONSTRUCT[AUFS] query can be transformed into an CONSTRUCT[AUF] query. Let $q = \text{CONSTRUCT } H \text{ WHERE } P$ be an CONSTRUCT[AUFS] query. We can assume w.l.o.g that $\text{var}(H) \subseteq \text{var}(P)$. We prove that $q \equiv \text{CONSTRUCT } H \text{ WHERE } P_{\text{sf}}$. Let G be an RDF graph.

- $[\Rightarrow]$ Assume $\mu(t) \in \text{ans}(q, G)$, where $\mu \in \llbracket P \rrbracket_G$ and $t \in H$. Then, there is a mapping $\mu' \in \llbracket P_{\text{sf}} \rrbracket_G$ such that $\mu \leq \mu'$. This implies that $\mu'(t)$ is a triple in $\text{ans}(\text{CONSTRUCT } H \text{ WHERE } P_{\text{sf}}, G)$. As $\mu \leq \mu'$, we obtain that $\mu'(t) = \mu(t)$, concluding this direction.
- $[\Leftarrow]$ Assume $\mu'(t) \in \text{ans}(\text{CONSTRUCT } H \text{ WHERE } P_{\text{sf}}, G)$, where $\mu' \in \llbracket P_{\text{sf}} \rrbracket_G$ and $t \in H$. Then, there is a mapping $\mu \in \llbracket P \rrbracket_G$ such that $\mu \leq \mu'$ and $\text{dom}(\mu) = \text{dom}(\mu') \cap \text{var}(P)$. Since $\text{var}(t) \subseteq \text{var}(P)$ and $\text{var}(t) \subseteq \text{dom}(\mu')$, we obtain that $\text{var}(t) \subseteq \text{dom}(\mu)$. We conclude that $\mu(t) \in \text{ans}(q, G)$.

□

G. PROOF OF THEOREM 7.1

Statement $\text{EVAL}(\text{SP-SPARQL})$ is DP-complete.

To prove this theorem we make use of the following two lemmas.

LEMMA G.1. *[30], Theorem 3.2] There is a polynomial-time algorithm that, given a propositional formula φ , generates a mapping μ_φ , a graph pattern P_φ in SPARQL[AUF] and an RDF graph G_φ , such that:*

- (1) $\text{dom}(\mu_\varphi) = \text{var}(P_\varphi)$ and $\mathbf{I}(P_\varphi) = \mathbf{I}(G_\varphi)$;
- (2) every triple pattern in P_φ mentions variables and IRIs;
- (3) if φ is satisfiable, then $\llbracket P \rrbracket_{G_\varphi} = \{\mu_\varphi\}$; and
- (4) if φ is unsatisfiable, then $\llbracket P \rrbracket_{G_\varphi} = \emptyset$.

LEMMA G.2. *Let G_1 and G_2 be two RDF graphs such that $\mathbf{I}(G_1) \cap \mathbf{I}(G_2) = \emptyset$, and let P be a graph pattern in NS-SPARQL . If P is free from variable-only triple patterns and $\mathbf{I}(P) \subseteq \mathbf{I}(G_1)$, then $\llbracket P \rrbracket_{G_1 \cup G_2} = \llbracket P \rrbracket_{G_1}$.*

PROOF. Proceed by induction over the structure of P . If P is a triple pattern, then it must mention some IRI that is in $\mathbf{I}(G_1) \setminus \mathbf{I}(G_2)$. Hence, P can only match triples in G_1 . It follows that $\llbracket P \rrbracket_{G_1 \cup G_2} = \llbracket P \rrbracket_{G_1}$. The remaining cases are proven directly from the inductive definition of graph patterns:

- If $P = P_1 \text{ AND } P_2$, we have $\llbracket P \rrbracket_{G_1 \cup G_2} = \llbracket P_1 \rrbracket_{G_1 \cup G_2} \bowtie \llbracket P_2 \rrbracket_{G_1 \cup G_2}$. By induction hypothesis this is the same as $\llbracket P_1 \rrbracket_{G_1} \bowtie \llbracket P_2 \rrbracket_{G_1} = \llbracket P \rrbracket_{G_1}$.
- If $P = P_1 \text{ UNION } P_2$, we have $\llbracket P \rrbracket_{G_1 \cup G_2} = \llbracket P_1 \rrbracket_{G_1 \cup G_2} \cup \llbracket P_2 \rrbracket_{G_1 \cup G_2}$. By hypothesis this is the same as $\llbracket P_1 \rrbracket_{G_1} \cup \llbracket P_2 \rrbracket_{G_1} = \llbracket P \rrbracket_{G_1}$.
- If $P = P_1 \text{ OPT } P_2$, we have $\llbracket P \rrbracket_{G_1 \cup G_2} = \llbracket P_1 \rrbracket_{G_1 \cup G_2} \bowtie \llbracket P_2 \rrbracket_{G_1 \cup G_2}$. From the hypothesis this is the same as $\llbracket P_1 \rrbracket_{G_1} \bowtie \llbracket P_2 \rrbracket_{G_1} = \llbracket P \rrbracket_{G_1}$.
- If $P = P' \text{ FILTER } R$, we have $\llbracket P \rrbracket_{G_1 \cup G_2} = \{\mu \in \llbracket P' \rrbracket_{G_1 \cup G_2} \mid \mu \models R\}$. By induction hypothesis this is the same as $\{\mu \in \llbracket P' \rrbracket_{G_1} \mid \mu \models R\} = \llbracket P \rrbracket_{G_1}$.
- If $P = \text{NS}(P')$, the result immediately follows as $\llbracket P \rrbracket_{G_1 \cup G_2} = \llbracket P' \rrbracket_{G_1}$.

□

Now we proceed to prove that the evaluation problem for simple graph patterns is DP-complete.

PROOF. According to the definition, the evaluation problem for simple graph patterns corresponds to the language of all triples (G, P, μ) such that $\mu \in \llbracket P \rrbracket_G$, where $P = \text{NS}(P')$ is a simple pattern. This language is in DP since it can be expressed as the intersection of the following two languages.

$$\{(G, P, \mu) \mid P = \text{NS}(P') \text{ is a simple pattern and } \mu \in \llbracket P' \rrbracket_G\} \quad (7)$$

$$\{(G, P, \mu) \mid P = \text{NS}(P') \text{ is a s.p. and there is no } \mu' \in \llbracket P' \rrbracket_G \text{ s.t. } \mu < \mu'\}. \quad (8)$$

Language (7) can be solved by a routine for $\text{EVAL}(\text{SPARQL}[\text{AUFS}])$, which is in NP [37]. The second language is in coNP as its complement consists of the triples $(G, \text{NS}(P), \mu)$ where $P = \text{NS}(P')$ (which is polynomially verifiable) and there is a mapping $\mu' \in \llbracket P' \rrbracket_G$ such that $\mu < \mu'$. This is also in NP as μ' can be created nondeterministically and P' is in $\text{SPARQL}[\text{AUFS}]$.

Now we show that the evaluation problem for simple patterns is DP-hard. We provide a reduction from the well-known DP-complete problem SAT-UNSAT [28]. This is the problem of deciding, given a pair of propositional formulas (φ, ψ) , whether φ is satisfiable and ψ is unsatisfiable. Let (φ, ψ) be a pair of propositional formulas. Let $\mu_\varphi, P_\varphi, G_\varphi$ and μ_ψ, P_ψ, G_ψ be the elements provided by Lemma G.1 corresponding to φ and ψ , respectively. By renaming variables and IRIs, we can assume w.l.o.g. that the IRIs and variables mentioned in $\mu_\varphi, P_\varphi, G_\varphi$ are disjoint from those mentioned in μ_ψ, P_ψ, G_ψ . Consider the graph pattern $P = \text{NS}(P_\varphi \text{ UNION } (P_\varphi \text{ AND } P_\psi))$. We show that $\mu_\varphi \in \llbracket P \rrbracket_{G_\varphi \cup G_\psi}$ if and only if $(\varphi, \psi) \in \text{SAT-UNSAT}$. Notice that by Lemma G.2 we have that $\mu_\varphi \in \llbracket P_\varphi \rrbracket_{G_\varphi}$ if and only if $\mu_\varphi \in \llbracket P_\varphi \rrbracket_{G_\varphi}$, and that $\mu_\psi \in \llbracket P_\psi \rrbracket_{G_\psi}$ if and only if $\mu_\psi \in \llbracket P_\psi \rrbracket_{G_\psi}$.

(\Rightarrow) Suppose for the sake of contradiction that $\mu_\varphi \in \llbracket \text{NS}(P_\varphi \text{ UNION } (P_\varphi \text{ AND } P_\psi)) \rrbracket_G$, and that φ is unsatisfiable or ψ is satisfiable. We analyze these cases separately.

- If φ is not satisfiable, then we know by Lemma G.1 that $\llbracket P_\varphi \rrbracket_G = \emptyset$, which implies that $\llbracket \text{NS}(P_\varphi \text{ UNION } (P_\varphi \text{ AND } P_\psi)) \rrbracket_G = \emptyset$.
- If ψ is satisfiable, then we have by Lemma G.1 that $\mu_\psi \in \llbracket P_\psi \rrbracket_G$. Since $\text{var}(P_\varphi) \cap \text{var}(P_\psi) = \emptyset$ and $\llbracket P_\psi \rrbracket_G \neq \emptyset$, every mapping in $\llbracket P_\varphi \rrbracket_G$ is subsumed by some mapping in $\llbracket P_\varphi \text{ AND } P_\psi \rrbracket_G$. Hence, we obtain that

$$\llbracket \text{NS}(P_\varphi \text{ AND } P_\psi) \rrbracket_G \equiv \llbracket \text{NS}(P_\varphi \text{ UNION } (P_\varphi \text{ AND } P_\psi)) \rrbracket_G.$$

We know by Lemma G.1 that the empty mapping does not belong to $\llbracket P_\psi \rrbracket_G$, and therefore every mapping in $\llbracket P_\varphi \text{ AND } P_\psi \rrbracket_G$ mentions some variable in $\text{var}(P_\psi)$. As $\text{var}(\mu_\varphi) \cap \text{var}(P_\psi) = \emptyset$, we conclude that $\mu_\varphi \notin \llbracket P_\varphi \text{ AND } P_\psi \rrbracket_G$. Thus, μ_φ is not in $\llbracket \text{NS}(P_\varphi \text{ UNION } (P_\varphi \text{ AND } P_\psi)) \rrbracket_G$, which contradicts our initial assumption.

(\Leftarrow) Assume φ is satisfiable and ψ is unsatisfiable. By Lemma G.1, this implies that $\llbracket P_\psi \rrbracket_G = \emptyset$. Hence, in this case we have that $\llbracket \text{NS}(P_\varphi \text{ UNION } (P_\varphi \text{ AND } P_\psi)) \rrbracket_G$ is the same as $\llbracket \text{NS}(P_\varphi) \rrbracket_G$. From Lemma G.1, we have that $\llbracket P_\varphi \rrbracket_G = \{\mu_\varphi\}$ and, therefore, $\mu_\varphi \in \llbracket \text{NS}(P_\varphi) \rrbracket_G$, concluding the proof.

□

H. PROOF OF THEOREM 7.2

Statement For every $k > 0$, it holds that $\text{EVAL}(\text{USP-SPARQL}_k)$ is BH_{2k} -complete.

LEMMA H.1. Let $n \in \mathbb{N}$, and for every $i \in \{1, \dots, n\}$ let μ_i, G_i and P_i be a mapping, an RDF graph and a graph pattern, respectively. If the following conditions hold

- for every $i, j \in \{1, \dots, n\}$ with $i \neq j$, the variables and iris mentioned in (μ_i, P_i, G_i) are disjoint from the variables and iris mentioned in (μ_j, P_j, G_j) ;
- for every $i \in \{1, \dots, n\}$, it is the case that P_i is a simple pattern which does not mention variable-only triple patterns,

then there is a mapping μ , an ns-pattern P and an RDF graph G such that $\mu \in \llbracket P \rrbracket_G$ if and only if $\mu_i \in \llbracket P_i \rrbracket_{G_i}$ for some $i \in \{1, \dots, n\}$. Moreover, μ, P and G can be computed in polynomial time.

PROOF. Let $n \in \mathbb{N}$, and for every $i \in \{1, \dots, n\}$ let μ_i, G_i and P_i be a mapping, an RDF graph and a graph pattern, respectively. First, define the mapping μ as $\mu_1 \cup \mu_2 \cup \dots \cup \mu_n$. This mapping is correctly defined since $\text{var}(\mu_i) \cap \text{var}(\mu_j) = \emptyset$ for every $i, j \in \{1, \dots, n\}$ with $i \neq j$.

Now define the RDF graph G as

$$G = \left(\bigcup_{i \in \{1, \dots, n\}} G_i \right) \cup \left(\bigcup_{?X \in \text{dom}(\mu)} (\mu(?X), c^{?X}, d^{?X}) \right)$$

where $c^{?X}$ and $d^{?X}$ are distinct fresh IRIs for every $?X \in \text{dom}(\mu)$. Adding the new IRIs and their corresponding triples allows us to trivially match the graph to include the assignment $?X \rightarrow \mu(?X)$ in any mapping not mentioning $?X$. Based on this intuition we proceed to create the ns-pattern P . Let $i \in \{1, \dots, n\}$ and assume that $\text{dom}(\mu) \setminus \text{dom}(\mu_i) = \{?X_1, \dots, ?X_\ell\}$. Assuming that $P_i = \text{NS}(Q_i)$, define the pattern P'_i as

$$P'_i = \text{NS} \left(Q_i \text{ AND } (?X_1, c^{?X_1}, d^{?X_1}) \text{ AND } \dots \text{ AND } (?X_\ell, c^{?X_\ell}, d^{?X_\ell}) \right).$$

Finally, define the graph pattern P by

$$P = P'_1 \text{ UNION } P'_2 \text{ UNION } \dots \text{ UNION } P'_n$$

It is clear that the above elements μ, P and G can be computed in polynomial time. Notice that if $\mu_i \in \llbracket P_i \rrbracket_{G_i}$ then μ_i will appear in the answer to Q_i over G , as $G_i \subseteq G$ and Q_i is monotone. Moreover, for every $?X \in \text{dom}(\mu) \setminus \text{dom}(\mu_i)$ the triple pattern $(?X, c^{?X}, d^{?X})$ will trivially match the RDF triple $(\mu(?X), c^{?X}, d^{?X})$.

Now that we have defined μ, P and G , we formally prove that μ is in $\llbracket P \rrbracket_G$ if and only if $\mu_i \in \llbracket P_i \rrbracket_{G_i}$ for some $i \in \{1, \dots, n\}$. Since $P = P'_1 \text{ UNION } P'_2 \text{ UNION } \dots \text{ UNION } P'_n$, we know that $\mu \in \llbracket P \rrbracket_G$ if and only if $\mu \in \llbracket P'_i \rrbracket_G$ for some $i \in \{1, \dots, n\}$. Thus, it is sufficient to show that for each $i \in \{1, \dots, n\}$ it is the case that

$$\mu_i \in \llbracket P_i \rrbracket_{G_i} \text{ if and only if } \mu \in \llbracket P'_i \rrbracket_G. \quad (9)$$

Let $i \in \{1, \dots, n\}$. Define the mapping μ_{-i} as μ restricted to $\text{dom}(\mu) \setminus \text{dom}(\mu_i)$. Assume $\text{dom}(\mu_{-i}) = \{?X_1, \dots, ?X_\ell\}$. We have

$$P'_i = \text{NS} \left(Q_i \text{ AND } (?X_1, c^{?X_1}, d^{?X_1}) \text{ AND } \dots \text{ AND } (?X_\ell, c^{?X_\ell}, d^{?X_\ell}) \right).$$

Since G contains every triple of the form $(\mu(?X), c^{?X}, d^{?X})$, and the IRIs $c^{?X}$ and $d^{?X}$ are not mentioned anywhere else in G , we know that

$$\llbracket (?X_1, c^{?X_1}, d^{?X_1}) \text{ AND } \dots \text{ AND } (?X_\ell, c^{?X_\ell}, d^{?X_\ell}) \rrbracket_G = \{\mu_{-i}\}. \quad (10)$$

We make use of this fact to prove both directions of (9).

\Rightarrow) Assume $\mu_i \in \llbracket P_i \rrbracket_{G_i}$. By semantics of NS, it is the case that $\mu_i \in \llbracket Q_i \rrbracket_{G_i}$. Since Q_i is monotone and $G_i \subseteq G$, we have $\mu_i \in \llbracket Q_i \rrbracket_G$. As μ_i and μ_{-i} are compatible, by equation (10) we obtain that

$$\mu_i \cup \mu_{-i} \in \llbracket Q_i \text{ AND } (?X_1, c^{?X_1}, d^{?X_1}) \text{ AND } \dots \text{ AND } (?X_\ell, c^{?X_\ell}, d^{?X_\ell}) \rrbracket_G.$$

Finally, as $\mu_i \cup \mu_{-i} = \mu$ and $\text{dom}(\mu) = \text{var}(P'_i)$, we have $\mu \in \llbracket P'_i \rrbracket_G$.

\Leftarrow) Assume $\mu \in \llbracket P'_i \rrbracket_G$. By the semantics of the NS operator, we know that

$$\mu \in \llbracket Q_i \text{ AND } (?X_1, c^{?X_1}, d^{?X_1}) \text{ AND } \dots \text{ AND } (?X_\ell, c^{?X_\ell}, d^{?X_\ell}) \rrbracket_G.$$

Provided that $\llbracket (?X_1, c^{?X_1}, d^{?X_1}) \text{ AND } \dots \text{ AND } (?X_\ell, c^{?X_\ell}, d^{?X_\ell}) \rrbracket_G = \{\mu_{-i}\}$, we have that $\llbracket Q_i \rrbracket_G$ must contain a mapping subsuming μ_i . This mapping must be exactly μ_i , as $\text{dom}(\mu_i) = \text{var}(Q_i)$. We conclude that $\mu_i \in \llbracket \text{NS}(Q_i) \rrbracket_G = \llbracket P_i \rrbracket_G$. From Lemma G.2 we know that $\llbracket P_i \rrbracket_G = \llbracket P_i \rrbracket_{G_i}$, concluding the proof.

□

We now proceed to prove that for every $k > 0$, it holds that $\text{EVAL}(\text{USP-SPARQL}_k)$ is BH_{2k} -complete.

PROOF. We first prove by induction that for every $k > 0$, it holds that $\text{EVAL}(\text{USP-SPARQL}_k) \in \text{BH}_{2k}$. For $k = 1$, we have the evaluation problem for simple patterns, which is complete for $\text{DP} = \text{BH}_2$. For the inductive case let $k > 1$ and assume $\text{EVAL}(\text{USP-SPARQL}_{k-1}) \in \text{BH}_{2k-2}$. We want to show that $\text{EVAL}(\text{USP-SPARQL}_{k+1}) \in \text{BH}_{2(k+1)}$. Consider the following two languages:

$$L_1 = \{(\mu, P_1 \text{ UNION } \dots \text{ UNION } P_j, G) \mid j \leq k+1, \text{ for } i \in [1..j] P_i \text{ is a simple pattern, and } \mu \in \llbracket P_i \rrbracket_G \text{ for some } i \in [1..k]\}$$

$$L_2 = \{(\mu, P_1 \text{ UNION } \dots \text{ UNION } P_{k+1}, G) \mid \text{for } i \in [1..k+1] P_i \text{ is a simple pattern, and } \mu \in \llbracket P_{k+1} \rrbracket_G\}$$

Since $\text{EVAL}(\text{USP-SPARQL}_{k+1})$ is in BH_{2k} , it is trivial to prove that $L_1 \in \text{BH}_{2k}$. Moreover, since $\text{EVAL}(\text{SP-SPARQL})$ is in DP , it is trivial to show that L_2 is also in DP . By simply inspecting L_1 and L_2 we can see that $L_1 \cup L_2 = \text{USP-SPARQL}_{k+1}$. We obtain that EVAL_{k+1} is the union between a problem in BH_{2k} and a problem in DP . We know from [45] that such a union belongs to BH_{2k+2} , which concludes the containment part.

Let $k > 0$. To prove that $\text{EVAL}(\text{USP-SPARQL}_{k+1})$ is BH_{2k} -hard, we make a reduction from the problem of knowing if a graph has chromatic number in the set $M_k = \{6k+1, 6k+3, \dots, 8k-1\}$. This problem is known as $\text{EXACT-}M_k\text{-COLORABILITY}$ and is proved to be BH_{2k} -complete in [36].

We will create a function that takes a graph H as input and generates an RDF graph G , a mapping μ and a pattern $P = P_1 \text{ UNION } \dots \text{ UNION } P_k$, such that the chromatic number of G is in M_k if and only if $\mu \in \llbracket P \rrbracket_G$. Let H be a graph. Denote by $\{m_1, \dots, m_k\}$ the elements in M_k . As $k > 0$ we know that every element in M_k is greater than 3. Hence, the problem of knowing if a graph has chromatic number m is DP -complete for every m in M_k [36]. Since the evaluation problem for simple patterns is DP -complete, for every $i \in \{1, \dots, k\}$ we can generate in polynomial time an RDF graph G_i , a mapping μ_i and a simple pattern P_i , such that $\mu_i \in \llbracket P_i \rrbracket_{G_i}$ if and only if H has chromatic number m_i . Moreover, we can assume w.l.o.g. that for $i \neq j$, the variables and IRIs mentioned in μ_i, G_i and P_i are disjoint from those mentioned in μ_j, G_j and P_j . Hence, by lemma H.1, we can construct in polynomial time a mapping μ , an ns-pattern P with k disjuncts, and an RDF graph G such that $\mu \in \llbracket P \rrbracket_G$ if and only if $\mu_i \in \llbracket P_i \rrbracket_{G_i}$ for some $i \in \{1, \dots, k\}$. But as mentioned before, this occurs if and only if H has chromatic number in M_k . This implies that $\mu \in \llbracket P \rrbracket_G$ if and only if the chromatic number of H is in M_k , concluding the proof. □

I. PROOF OF THEOREM 7.3

Statement $\text{EVAL}(\text{USP-SPARQL})$ is $\text{P}_{\parallel}^{\text{NP}}$ -complete.

PROOF. Let $P = P_1 \text{ UNION } P_2 \text{ UNION } \dots \text{ UNION } P_n$ be a graph pattern where every P_i ($1 \leq i \leq n$) is a simple pattern. Let G be an RDF graph and μ be a mapping. Since for every i the problem of deciding if $\mu \in \llbracket P_i \rrbracket_G$ belongs to DP , it can be solved by two parallel calls to an NP oracle. Thus, by making $2n$ calls in parallel to the NP oracle one can decide whether μ belongs to $\llbracket P_i \rrbracket_G$ for some $i \in \{1, \dots, n\}$. Therefore, deciding whether μ belongs to $\llbracket P \rrbracket_G$ can be achieved by a polynomial-time Turing machine that asks $2n$ queries to an NP oracle in parallel. We conclude that $\text{EVAL}(\text{USP-SPARQL}) \in \text{P}_{\parallel}^{\text{NP}}$ -complete.

Now we prove the problem is $\text{P}_{\parallel}^{\text{NP}}$ -hard by providing a reduction from the problem MAX-ODD-SAT . This is the problem of deciding, given a propositional formula φ , whether the truth-assignment that assigns true to the largest number of variables while satisfying φ , assigns true to an odd number of variables. This problem is shown to be $\text{P}_{\parallel}^{\text{NP}}$ -complete in [39].

Let φ be a propositional formula with m variables. We can assume without loss of generality that m is even (if not, consider the formula $\varphi \wedge \neg r$ for a fresh variable r). We want to create an ns-pattern P , an RDF graph G , and a mapping μ such that μ belongs to $\llbracket P \rrbracket_G$ if and only if φ belongs to MAX-ODD-SAT . It is easy to see that given a number k between 1 and m , the problem of deciding whether there is

a truth assignment that satisfies φ and assigns true to at least k variables is in NP. Thus, by Cook's theorem we can create a propositional formula φ_k such that φ_k is satisfiable if and only if there is a truth assignment that satisfies φ and assigns true to at least k variables. Hence, φ belongs to MAX-ODD-SAT if and only if $(\varphi_k, \varphi_{k+1})$ belongs to SAT-UNSAT for some odd k between 1 and $m - 1$. By Theorem 7.1, for every such k we can create a simple pattern P_k , a mapping μ_k and an RDF graph G_k such that μ_k belongs to $\llbracket P_k \rrbracket_{G_k}$ if and only if $(\varphi_k, \varphi_{k+1}) \in \text{SAT-UNSAT}$. We can assume without loss of generality that for every $j, k \in \{1, 3, \dots, m - 1\}$ with $j \neq k$, it is the case that $(\text{dom}(\mu_j) \cup \text{var}(P_j)) \cap (\text{dom}(\mu_k) \cup \text{var}(P_k)) = \emptyset$ and $(\text{range}(\mu_j) \cup \mathbf{I}(P_j) \cup \mathbf{I}(G_j)) \cap (\text{range}(\mu_k) \cup \mathbf{I}(P_k) \cup \mathbf{I}(G_k)) = \emptyset$. Hence, by Lemma H.1, we can construct in polynomial time a mapping μ , an ns-pattern P , and an RDF graph G such that $\mu \in \llbracket P \rrbracket_G$ if and only if $\mu_i \in \llbracket P_i \rrbracket_{G_i}$ for some $i \in \{1, 3, \dots, m - 1\}$. As mentioned before, this occurs if and only if φ belongs to MAX-ODD-SAT, concluding the proof. \square